


A-1506



A-4099
A-1031
A-958
A-951
A-961
A-1359
A-4267
A-4162




A-1094

OVALS




GE PP 26

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-961	4-3/8	4-1/8	4-1/2	5-7/32	2-3/32	1-9/16	#0 CORK 33-150 33-400
A-1506	7-1/4	BASE OF NECK	7	5-13/16	2-19/32	1-13/16	#10 CORK SP. CAP
A-1031	8	4-1/2	8-3/4	6-17/32	2-41/64	1-15/32	48-100
A-958	8-3/4	BASE OF NECK	9	6-1/2	2-5/8	1-31/32	38-400 38-150
A-1359	12	5-1/2	11-1/2	7-7/32	2-15/16	2-1/4	38-400
A-1094	12	5-15/16	11-7/8	7-11/16	3-1/4	1-13/16	33-150
A-4267	15	5-5/16	13-3/4	7-5/8	3-3/16	2-11/32	51-400
A-4162	15-7/8	5-3/4	14-1/2	7-3/4	3-7/32	2-15/32	58-400
A-951	16	6-1/2	13-3/4	7-23/32	3-9/32	2-7/16	38-400 38-150
A-4099	17	6-7/32	13-3/4	7-11/32	3-1/32	2-7/16	51-400



B-84
B-85
B-87
B-317



B-555
B-554
B-605

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
B-317	10	6-15/16	12-3/4	9-3/32	3-31/64	1-7/16	#2 RUB. CORK 22-400
B-555	10-5/8	OVERFLOW	11-1/2	8-63/64	3-1/4	1-35/64	#4 RUB. CORK 21-1300
B-84	12	BASE OF NECK	14	9-1/16	3-17/32	1-11/16	#3 RUB. CORK
B-85	16	"	14-3/4	9-1/16	3-51/64	1-7/8	#2 RUB. CORK
B-87	32	"	20-1/2	10-1/16	4-1/4	2-49/64	#3 RUB. CORK 22-400
B-554	32	7-19/32	23	9-29/32	4-19/32	2-25/32	#4 RUB. CORK
B-605	32	8-3/16	22-1/2	9-31/32	4-1/2	2-9/16	#4 CORK

AMMONIA OVALS






B-559
B-556
B-602



AMMONIA
BLUING
OVALS



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
B-1	3	3-5/8	4-1/8	5-1/2	2-3/8	1-1/8	22-400 #3 CORK
B-556	6	4-25/32	7	6-15/64	2-59/64	15/16	#4 CORK
B-2	6	4-1/2	7	6-7/8	2-27/32	1-35/64	#5 CORK
B-3	8	5-3/16	10	8-11/32	2-23/64	1-5/8	#4 CORK
B-36	8-1/2	6-3/32	12-1/4	8-3/32	3-5/8	1-19/32	#4 CORK
B-231	10	6-1/2	12-3/8	8-9/16	3-35/64	1-25/64	22-400 #2 RUB. CORK
B-559	13-1/4	7-1/64	13-1/4	8-39/64	3-9/16	1-5/8	26-600 27-1300 26-600
B-602	16	7-7/16	14	9	3-9/16	1-15/16	"0"-1300 #2 RUB. CORK
B-249	16	BASE OF NECK	14-3/4	8-15/16	3-3/4	1-13/16	"0"-1300 #2 RUB. CORK
B-250	32	"	23	11-5/32	4-3/32	2-17/32	"0"-1300 #2 RUB. CORK




B-320
B-221
B-220



B-38



A-4204




B-22
B-295

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-4204	3-1/2	4-15/64	6	5-29/32	2-9/32	1-1/8	28-400
B-22	4	4-3/8	6-1/4	6-1/4	2-9/32	1-3/16	#4 CORK
B-320	6	BASE OF NECK	7-1/2	7	2-15/32	1-5/16	#6 CORK
B-38	8	5-3/4	9	7-5/8	2-13/16	1-25/64	24-400 27-150 #6 CORK
B-220	8	5-11/16	10	7-25/32	2-3/4	1-29/64	#6 CORK 27-150
B-295	12	6-1/4	12-1/4	7-7/8	2-63/64	1-49/64	#6 CORK
B-221	20	7-5/8	19	9-7/8	3-19/32	1-61/64	#8 CORK 30-400

POLISH OVALS
OR
OBLONGS





A-3930




NARROW MOUTH
FRENCH
SQUARES



PAGE PP 30

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH CORK	G.C.A.
A-3922	1/8	1-11/32	7/16	1-59/64	21/32	#1	15-425
A-3923	1/4	1-3/4	5/8	2-37/64	3/4	#1	18-400
A-3924	1/2	1-13/16	1	2-11/16	59/64	#1	15-425 18-400
A-3925	1	2-1/2	1-7/8	3-33/64	1-3/32	#2	20-400
A-3926	2	3	2-3/4	4-7/64	1-13/32	#3	22-400
A-3927	3	3-5/8	3-3/8	4-17/32	1-1/2	#3	22-400
A-3928	4	4	5	5-3/32	1-41/64	#4	24-400
A-3929	6	4-5/16	5-1/2	5-19/32	1-55/64	#5	
A-3930	8	5-11/16	6-3/4	6-3/16	2-1/64	#6	28-400
A-3931	12	5-13/16	12	7-1/16	2-5/16	#6	
A-3932	16	6-3/16	14-1/4	8	2-1/2	#7	30-400
A-3933	32	7-1/2	21-3/4	9-1/2	3-1/8	#8	33-400



A-124

MOLD NO.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-114	1/2	BASE OF NECK	1-3/8	2-13/16	1	20-150; 20-400 #3 CORK
A-4737	3/4	2	1-5/8	3-3/32	1-3/64	24-400
A-115	1	BASE OF NECK	2	3-19/64	1-3/16	27-150; 28-400
A-857	1-1/2	"	2-1/4	3-47/64	1-1/4	27-150; 28-400 #6 CORK
A-116	2	3-1/16	3-1/2	4	1-29/64	30-150; 30-400 #10 CORK
A-117	3	BASE OF NECK	4	4-7/16	1-5/8	30-150; 33-400 #8 CORK
A-118	4	"	5	4	1-3/4	33-150; 33-400 #10 CORK
A-119	5	3-15/16	6-1/2	5-3/16	1-15/16	43-400; 43-150
A-121	8	BASE OF NECK	8-1/2	6-1/64	2-1/8	43-150; 43-400 #14 CORK
A-122	10-1/2	"	11	6-57/64	2-9/32	43-400; 43-150
A-123	12	"	12	7-1/16	2-15/32	48-100; 48-400
A-124	16	"	13	8	2-15/32	48-400; 48-100 #20 CORK
A-125	24	"	19	8-9/16	2-13/16	48-100; 48-400
A-126	32	"	23	9-7/64	3-3/16	48-100; 48-400 #21 CORK

WIDE MOUTH
FRENCH
SQUARES






MISCELLANEOUS
FRENCH
SQUARES



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-63	1/4	1-7/16	1	2-1/16	27/32	#2 CORK 20-150
A-4995	1/4	1-3/16	7/8	2	7/8	18-400
A-4488	1	2-9/32	2	3-23/32	1-1/8	SPEC. CORK 38-150
A-1829	7	BASE OF NECK	7-1/2	5-41/64	2	38-150
A-1922	14	"	12-3/4	7-31/64	2-13/32	48-400 48-100
A-1923	18	"	15	8-11/64	2-35/64	#20 CORK 48-100 48-400
A-1924	20	"	16	8-5/16	2-41/64	48-400 48-100
A-1925	28	"	21	8-31/32	3-1/64	#20 CORK 48-100 48-400
A-1935	40	"	28	10-9/32	3-11/32	48-100 #20 CORK 48-400



A-3949

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH CORK	G.C.A.
A-3945	1/2	1-13/16	1	2-53/64	1-9/64	13/16	#2	18-400
A-3946	1	2-1/4	1-3/4	3-29/64	1-25/64	1	#3	20-400
A-3947	2	2-11/16	3	4	1-23/32	1-19/64	#4	22-400
A-3948	3	3-1/8	3-1/8	4-41/64	1-27/32	1-15/32	#4	22-400
A-3949	4	3-9/16	4-3/4	5-5/32	1-15/16	1-35/64	#5	24-400
A-3950	6	4-3/16	6-3/4	5-23/32	2-1/4	1-25/32	#5	24-400
A-3951	8	4-3/8	8	6-7/32	2-7/16	1-63/64	#7	28-400
A-3952	12	4-15/16	10-1/2	6-63/64	2-13/16	2-1/4	#7	28-400
A-3953	16	5-1/2	13-1/2	7-11/16	3-3/64	2-29/64	#7	30-400
A-3954	32	6-3/4	22	9-1/16	3-51/64	3-1/8	#8	33-400

PARIS SQUARES






**NARROW MOUTH
SQUARES**



PAGE PP 34

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-4335	1/8	1-11/32	7/16	1-57/64	21/32	#1 CORK
A-4554	1/4	1-9/16	7/8	2-7/32	53/64	15-425
A-4451	1/4	1-1/2	7/8	2-11/64	13/16	#1 CORK
A-4452	1/2	1-7/8	1-1/4	2-39/64	63/64	#2 CORK
A-4144	3	3-3/8	3-1/4	4-17/32	1-35/64	#3 CORK
A-4792	4	3-11/16	5-1/2	4-15/16	1-13/16	20-400
A-2283	8	4-5/8	7-1/4	6-3/8	2-5/64	24-400
A-4654	8	5-1/2	9	7-15/64	1-15/16	28-400
A-1374	16	5-11/16	12	7-11/16	2-5/8	#1-1100 28-400
A-2284	16	5-3/4	12-1/4	7-19/32	2-19/32	28-400 #7 CORK
A-2614	16	5-7/8	13	7-19/32	2-5/8	24-400
A-2345	32	7-5/8	22	9-21/32	3-1/2	33-400 #9 CORK
A-907	128	9-27/32	58-1/4	13-1/8	5-13/32	#12 CORK



A-1728



A-2801




A-2442



A-176



A-2695




A-460

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-2442	1	2-1/2	2	3-13/32	1-1/8	#3 CORK
A-176	1	BASE OF NECK	1-1/2	4-33/64	1-3/16	#1 CORK
A-2695	2	2-11/16	3-1/4	3-11/16	1-15/32	#11 CORK
A-460	3	3-5/8	4	4-1/2	1-17/32	#5 CORK 22-400
A-2801	3	3-5/16	3-7/8	4-11/16	1-9/16	#7 CORK 28-400
A-1728	4	3-5/16	3-3/4	4-13/16	1-49/64	#8 CORK

MISCELLANEOUS
SQUARES






A-1521



A-3487
A-1588



A-1044



A-3222
A-3219
A-3220
A-3221



A-1009

MISCELLANEOUS
SQUARES



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-1588	1/4	BASE OF NECK	1-1/2	2-3/8	1 DIAM.		#1 CORK
A-3487	3-1/2 DR.	"	1-5/8	2-13/32	1-1/8 DIAM.		#1 CORK
A-3219	1/2 oz.	2-7/32	1-1/4	3-1/4	1-1/8	23/32	#1 CORK 18-400
A-3220	1	"	2	3-3/16	1-15/32	1	#2 CORK 18-400
A-1044	1	"	2-3/8	2-21/32	1-3/8 DIAM.		28-400
A-3221	2	"	3-1/4	3-15/16	1-21/32	1-5/16	#3 CORK 20-400
A-3222	3	"	4-3/4	4-11/16	2-3/8	1-53/64	#4 CORK
A-1521	8	"	7	6-13/16	2-1/8 DIAM.		24-400 #2 RUB. CORK
A-1009	10	"	11-1/2	8-1/16	2-5/16 DIAM.		28-400 #7 BRANDY CORK




A-1655



A-3761
A-1698



A-5769



A-3024


MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-1698	35/64	2-1/16	1	2-39/64	61/64	CORK
A-3761	4	BASE OF NECK	4-1/2	5	1-3/4	#3 CORK
A-3024	4	"	4-3/4	4-31/64	59/64	30-400
A-5769	4-3/32	3-1/2	5-1/4	4-5/16	2	24-400
A-1655	8	4-7/8	7-1/4	5-29/64	2-21/64	33-400

ROUNDED SQUARE






A-153



A-152



A-1773
A-3295

BALMING FLUIDS

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-152	14	5-11/16	11-1/4	7-17/32	2-17/32	28-400
A-153	16	6-1/8	12-3/4	8-1/8	2-33/64	28-400
A-1773	16	BASE OF NECK	13-1/2	8-1/8	2-1/2	28-400 1-1100
A-3295	16	6-5/32	13-7/8	8-1/8	2-19/32	28-400 1-1100





MOLD No.	CAPACITY IN OUNCES	FILLING POINT FR. BASE	CAPACITY BASE OF NECK	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH CORK	G.C.A.
A-215	1/4	1-5/16		3/4	2-1/8	25/32	#1	18-400
A-3934	1/2	1-7/8	35/64	1	2-45/64	1-1/32	#2	18-400
A-3935	1	2-3/16	1-1/16	1-1/4	3-13/64	1-15/64	#2	20-400
A-3936	2	2-3/4	2-5/64	2-1/4	3-25/32	1-35/64	#3	22-400
A-3937	3	3-5/16	3-3/32	3-1/4	4-5/16	1-3/4	#3	22-400
A-3938	4	3-3/4	4-9/64	4-5/8	4-15/16	1-57/64	#4	24-400
A-3940	6	4-1/8	6-1/4	5-1/2	5-37/64	2-1/8	#5	24-400
A-3941	8	4-1/2	8-1/8	6-3/4	6-11/64	2-5/16	#6	28-400
A-3942	12	5-7/16	12-5/32	9-1/4	6-7/8	2-39/64	#6	28-400
A-3943	16	5-3/4	16-1/2	11-1/2	7-21/64	2-7/8	#7	30-400
A-3944	32	7-1/4	32-27/64	20	8-15/16	3-5/8	#8	33-400
A-5413	40	7-3/4		23-1/2	9-3/16	3-55/64		33-400

BOSTON ROUND



PAGE PP



ROUND GLASS
STOPPERED
STON ROUNDS

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	GROUND GLASS STOPPER
A-997	1	2-3/16	1-1/4	3-11/16	1-15/64	FB-408
A-218	2	2-3/4	2-1/4	4-3/8	1-35/64	FB-409
A-220	4	3-3/4	4-5/8	5-5/16	1-57/64	FB-411
A-222	8	4-23/32	6-3/4	6-7/8	2-5/16	FB-412
A-224	16	5-3/4	11-1/2	8-3/16	2-7/8	FB-414



PP 40



A-191

MOLD No.	CAPACITY IN OUNCES	FILLING POINT FR. BASE	CAPACITY BASE OF NECK	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH CORK G.C.A.
A-187	1	BASE OF NECK	1-1/32	1-5/8	3-5/16	1-1/4	#3
A-178	2	"	69 cc.	2-3/8	3-3/4	1-5/8	#4 20-400
A-189	4	3-5/16	4-3/8	4	5-1/32	1-61/64	#4 24-400 22-400
A-191	8	4-7/16	8-1/2	7-1/4	6-3/16	2-11/32	#6 28-400
A-197	10	4-1/4	10-15/16	8-1/4	6-13/32	2-7/8	#4 24-400
A-192	12	4-7/8	13-3/4	10-3/4	7	2-11/16	#6 24-400
A-209	16	5-3/8	16-5/8	12-1/2	7-5/32	3-1/16	#6 28-400
A-194	16	5-7/16	17-5/16	12	7-5/8	2-31/32	#7 28-400
A-196	32	7-1/8	32-5/8	20-1/4	9-1/16	3-5/8	#9 33-400
A-211	64	7-15/16	72	33-1/2	11-7/32	4-47/64	#11 38-400
A-198	64	8-1/8	68	31	10-5/8	4-11/16	#10 38-400
A-212	80	8-3/4	87	40-1/2	11-13/16	4-31/32	#13 38-400 #14
A-213	128	10-1/2	133	55	13-1/8	5-3/4	#12 38-400

NARROW MOUTH
ROUNDS





ROUNDS



GE PP 42

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-1999	25 c.c.	BASE OF NECK	1-3/8	3-5/32	1-3/16	#2 CORK
A-1529	3	"	3-3/4	4-11/32	1-47/64	#4 CORK
A-536	4	"	4-5/8	4-15/16	1-7/8	#4 CORK 24-400
A-3639	7	4-9/16	6-3/4	6	2-7/32	#5 CORK
A-2434	8	4-5/8	6	6-11/32	2-25/32	24-400 #1-1100 #5 CORK
A-3732	16	BASE OF NECK	12	7-31/64	2-15/16	#1-1100 30-400
A-2314	16	5-7/8	12-1/2	7-21/32	2-29/32	#1-1100 28-400 #7 CORK
A-4996	20	6-13/16	14-3/4	8-1/4	2-31/32	30-400