



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH CORK	G.C.A.
A-2014	1-1/2 DR.	1-1/4	29/32	2-1/8	29/32	#2	18-400
A-2750	24 c.c.	BASE OF NECK	1-7/8	3-3/32	1-3/16		20-400
A-997	1	2-1/8	1-1/2	3-7/16	1-1/4	#2	18-400
A-878	2	2-9/16	2-3/8	3-3/4	1-9/16	#4	24-400
A-3695	2	2-7/16	2-3/4	4-3/32	1-21/32	#3	24-400
A-1875	3	BASE OF NECK	3-1/4	4-11/16	1-3/4	#3	20-400
A-869	3	3-1/16	4	4-5/16	1-3/4	#4	24-400
A-2877	3-3/8	3-7/16	4-3/8	4-25/32	1-13/16	#4	
A-1175	4	BASE OF NECK	4	4-3/4	1-7/8	#5	
A-1932	4	2-9/16	4-1/2	4-31/32	1-59/64		24-400
A-995	4	3-3/8	4-3/8	4-7/8	1-15/16	#6	24-400
A-190	9	4-3/4	7-1/4	6-9/32	2-5/16		T-1300
A-2371	12	BASE OF NECK	11-3/8	7-7/32	2-11/16	#6	24-400
A-1598	17	"	11-1/4	7-7/16	2-31/32	#7	28-400
A-1936	500 c.c.	5-1/2	13	7-1/2	3-1/32	#6	#1-1100

ROUNDS





A-984



ROUNDS



AGE PP 44

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-1541	2	BASE OF NECK	2-9/16	3-13/16	1-9/16	#4 CORK
A-4123	2	2-5/8	3-1/8	3-23/32	1-19/32	30-400
A-1442	5	BASE OF NECK	4-1/2	4-3/4	2	24-400 #4 CORK
A-984	6	4-1/4	5-7/16	5-9/32	2-3/32	28-400 #7 CORK
B-190	8	4-7/16	7-5/8	6	2-3/8	28-400
B-353	16	5-3/4	12-7/8	7-11/16	2-29/32	33-150
A-1533	16-1/4	6	12-1/2	7-21/32	2-7/8	26 1/2-1800



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-4746	1-1/2	2-5/8	2-1/4	3-19/32	1-27/64	20-400
A-1004	4	3-3/8	4	4-11/16	1-15/16	#4 CORK
A-4347	4	3-9/32	3-7/8	4-53/64	1-59/64	24-400
A-2897	5	3-3/4	5-5/8	5-15/16	2-3/64	#4 CORK 20-400
A-980	8	4-5/32	7-1/8	6-1/32	2-25/64	#6 CORK 24-400
A-4122	10	5-1/4	8-1/2	6-25/32	2-7/16	24-400
A-1176	16	BASE OF NECK	11-1/2	7-1/4	2-7/8	#8 CORK
A-4343	16	5-1/4	12-3/4	7-1/8	3	24-400
A-1933	16	5-3/4	12-1/2	7-5/8	2-29/32	28-400
A-981	16	5-5/16	12-3/4	7-7/16	2-61/64	28-400
A-1839	16	5-5/8	13	7-7/16	2-15/16	#7 CORK 28-400
A-2884	22	6-3/8	15-7/8	7-25/32	3-7/32	#7 CORK 30-400
A-880	32	6-11/16	20	9-1/16	3-11/16	#8 CORK 30-400
A-1033	128	10-3/8	53	13-7/16	5-3/4	#14 CORK
A-4620	128	10-5/8	53-1/2	12-23/32	5-23/32	38-400
A-1029	135-1/4	11-1/2	55	13-9/16	5-3/4	53-400

TALL ROUNDS





ESSENTIAL OILS



PAGE PP 46


MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-154	1-1/2	2-5/16	2-3/8	3-37/64	1-33/64	#2 CORK 18-400
A-3654	5	3-23/32	6	5-1/32	2-5/32	#4 CORK
A-3655	10	4-3/4	9	6-1/4	2-9/16	#6 CORK
A-3656	20	5-3/4	15	7-21/32	3-1/4	#7 CORK
A-2155	20	5-5/8	14-1/2	7-9/16	3-1/2	#7 CORK
A-2269	32	7	18-3/4	9-3/16	3-23/32	#8 CORK #1-1100



GLASS HANDLE
JUGS

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
B-55	32	6-3/16	21	8-5/32	4	2-1100 38-400
B-199	32	5-7/8	22-1/4	8-3/8	4-1/32	2-1100 #11 CORK 38-400
A-5510	128	8-1/2	55	11-9/32	6-1/2	POUR OUT CORK
A-2300	164	9	58	11-13/16	7-1/16	#14 CORK





A-2981
A-177 A-1708
A-175




A-1947



A-2885



A-989




B-326


TALL ROUNDS




MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-1708	3 DR.	2-7/8	1	3-7/8	3/4	#1 CORK 18-400
A-1947	5-1/2 DR.	OVERFLOW	1-1/2	3-35/64	1-5/16	SP. SC. CAP. 22-400
A-2885	1/2	2-11/16	1-3/8	3-15/32	59/64	#2 CORK
A-175	1	4-1/4	2-5/8	5-7/16	1-1/64	#2 CORK 18-400
A-177	1-1/2	4	2-3/4	5-1/2	1-25/64	#2 CORK
A-989	1-1/2	4	2-1/8	4-7/8	1-1/8	#3 CORK
B-326	1-5/8	OVERFLOW	3-1/8	5-7/64	1-13/64	SP. SLIP CAP
A-2981	2	BASE OF NECK	2-5/8	5-37/64	13/32	#2 CORK




A-3402



A-5533-IS
A-5534-IS



A-3039



A-1500

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-3039	3	4-3/4	4-5/8	5-3/4	1-33/64	20-400
A-1500	3-1/2	BASE OF NECK	4-1/2	5-29/32	1-5/8	#4 CORK 20-400
A-5533-IS	4	4-1/8	4-3/4	4-11/16	1-27/32	24-400 BEADLESS
A-5534-IS	8	5-3/32	7-1/2	5-11/16	2-1/4	24-400 BEADLESS
A-3402	20	6-5/8	17-3/8	8-1/2	3-3/16	28-400

FLUTED ROUNDS





A-1227



A-3733



A-2915



A-4736
A-6010



A-3108



A-1819




A-3194

MISCELLANEOUS
ROUNDS



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-4736	1-3/4 DR.	1-9/16	7/8	2-13/64	61/64	27/32	15-425
A-3194	1/4	1-5/32	3/4	2-1/64	15/16 DIAM.		20-400
A-1227	1/4	1-3/4	1	2-3/8	7/8 DIAM.		#4 CORK
A-2915	3/8	1-3/8	3/4	1-15/16	1	"	#5 CORK
A-1819	3/8	BASE OF NECK	7/8	2-3/8	31/32 "		#2 CORK
A-3733	1/2	"	7/8	1-51/64	1-15/64 "		#1 CORK
A-6010	1/2	1-3/4	13/16	2-15/32	1-5/64	15/16	15-425
A-3108	3/4	BASE OF NECK	2-1/4	1-15/16	2 DIAM.		SP. SC. CAP.




A-4558



B-37



A-831




A-1547

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-831	1-3/8	2-3/8	2-1/4	3-7/8	1-7/16	#2 Cork
B-37	2-1/2	3-1/2	3-1/4	4-11/32	1-43/64	26½-1800
A-4558	9	6-3/32	9	8-7/16	2-3/16	30-400
A-1547	16	6-1/2	14-3/4	8-3/4	2-11/16	28-400

MISCELLANEOUS
ROUNDS





OUNDED PEROXIDES

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-180	4	3-1/4	4-1/2	4-25/32	1-31/32	24-400
A-182	6	3-13/16	6-1/2	5-7/32	2-1/4	24-400
A-184	8	4-7/16	7-7/8	6-3/16	2-23/64	24-400
A-6025	12	5-3/32	11	7-1/64	2-45/64	24-400
A-186	16	5-1/2	13	7-17/32	2-15/16	24-150





MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-2327	4	3-9/32	4-1/2	4-29/32	1-31/32	#3 CORK 24-400
A-2502	6	3-9/16	5-3/4	5-1/2	2-1/4	24-400 #1-1100
A-181	6	3-5/8	6	5-3/8	2-1/4	24-400 T-1300
A-183	8	4-3/16	7	6-9/64	2-3/8	24-400 T-1300
A-2319	8	4-1/8	7-1/2	6-5/16	2-27/64	24-400 #4 CORK "O"-1300
A-2315	16	5-5/32	11-3/4	7-7/16	2-31/32	24-400 #4 CORK "O"-1300

PEROXIDES







SERUMS

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-259	15 MILS.	1-9/16	1-1/8	2-15/32	1-1/8	#5 CORK-PEG 14 SLEEVE
A-260	30 MILS.	2-3/16	1-5/8	3	1-11/32	#5 CORK-PEG 14 SLEEVE
A-261	60 MILS.	2-23/32	2-1/2	3-5/8	1-19/32	#5 CORK-PEG 14 SLEEVE
A-1970	100 MILS.	2-31/32	3-3/4	4-1/4	1-57/64	CORK
A-262	125 MILS.	3-17/32	4-1/2	4-7/8	1-15/16	#5 CORK-PEG 14 SLEEVE
A-263	250 MILS.	4-15/32	8	6-1/4	2-13/32	#2 CORK-PEG 17 SLEEVE
A-264	500 MILS.	5-1/2	12-3/4	7-9/16	2-63/64	#2 CORK-PEG 17 SLEEVE
A-265	500 MILS. GRADUATED	5-17/32	12-3/4	7-17/32	3	#2 CORK-PEG 17 SLEEVE





A-5916
A-5917
A-5918



A-5915
A-5914
A-5913



A-5912

MOLD No.	CAPACITY	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-5912	15 c.c.	1-9/16	1-1/8	2-7/16	1-7/64	SO. RING CORK
A-5913	30 c.c.	2-3/16	1-5/8	3	1-5/16	"
A-5914	60 c.c.	2-23/32	2-1/2	3-5/8	1-19/32	"
A-5915	100 c.c.	2-31/32	3-3/4	4-1/4	1-57/64	"
A-5916	125 c.c.	3-17/32	4-1/2	4-29/32	1-59/64	"
A-5917	250 c.c.	4-15/32	8	6-1/4	2-25/64	"
A-5918	500 c.c.	5-1/2	12-3/4	7-17/32	2-31/32	"

VIRUS
MISCELLANEOUS
SERUMS






B-150
B-200



B-122
A-879




B-711
A-3964

ROUND BOTTLES
WASHING FLUIDS



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
B-150	2	BASE OF NECK	3-1/2	3-9/16	1-11/16	36-700
B-200	2	2-1/2	3-1/2	3-17/32	1-19/32	#10 CORK 33-400
A-879	5	3-5/8	4-3/4	4-29/32	2-7/64	#4 CORK
B-122	10	4-3/8	7	6-1/16	2-5/8	#6 CORK 1-600 28-400
A-3964	32	6-3/4	20	9-5/32	3-21/32	CORK
B-711	37	7-1/2	23-1/4	9-15/32	3-13/16	CORK



MOLD NO.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-4728	6 c.c.	1-5/32	15/16	2-1/32	15/16	20-400
A-983	10-1/2 c.c.	1-3/8	5/8	2-1/16	1-1/16	#0 Cork 20-400
A-227	15 c.c.	1-7/16	1-3/4	2-1/4	1-17/64	28-400
A-6098	20 c.c.	1-11/16	1-3/16	2-9/32	1-5/16	28-400
A-5385	30 c.c.	1-51/64	2	2-33/64	1-31/64	28-400
A-5691	50 c.c.	2-27/64	2-1/2	3-3/32	1-9/16	33-400
A-5093	60 c.c.	2-51/64	2-3/4	3-21/64	1-5/8	33-400
A-5100	75 c.c.	2-27/32	3-1/4	3-17/32	1-49/64	38-400
A-6092	100 c.c.	3-3/8	3-7/8	3-25/32	1-15/16	38-400
A-5374	120 c.c.	3-1/4	5	4-1/32	2-5/64	38-400
A-5159	150 c.c.	3-19/32	5-3/8	4-21/64	2-3/16	45-400
A-5386	200 c.c.	3-29/32	7-1/4	4-23/32	2-25/64	45-400
A-5387	250 c.c.	4-1/4	8-5/8	5-1/16	2-9/16	45-400
A-5375	300 c.c.	4-31/64	10-1/2	5-23/64	2-45/64	53-400
A-5388	400 c.c.	5	12-1/4	5-15/16	2-15/16	53-400
A-5160	500 c.c.	5-25/32	13	6-13/16	3	53-400
A-5161	625 c.c.	6-3/16	15	7-7/32	3-7/32	53-400
A-5376	750 c.c.	6-15/32	17-5/8	7-5/8	3-7/16	53-400
A-5377	950 c.c.	7-1/4	21	8-3/8	3-41/64	53-400

WIDE MOUTH
AMBER ROUNDS



PAGE PP. 57



WIDE MOUTH
ROUNDS



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-3705	4-3/4 DR.	2-3/16	1	2-29/32	31/32	#3 CORK
A-229	1	1-7/8	1-5/8	2-41/64	1-23/64	#8 CORK 28-400
A-1017	1	2	1-7/8	3-3/8	1-21/64	#7 CORK
A-230	1-1/2	2-1/4	2-1/8	3-3/16	1-17/32	#8 CORK 30-400
A-950	1-1/2	BASE OF NECK	2-1/2	3-11/16	1-15/32	#10 CORK
A-232	2	2-5/8	2-3/4	3-19/32	1-19/32	#9 CORK 33-400
A-231	2	BASE OF NECK	2-1/2	3-31/64	1-35/64	30-400

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN OUNCES	DIAMETER IN INCHES	FINISH
A-233	3	BASE OF NECK	3-1/2	4-15/16	1-13/16	38-400 #8 CORK
A-234	3	2-13/16	3-3/4	4-5/32	1-55/64	#11 CORK
A-236	4	3-1/2	4-1/2	4-61/64	1-7/8	#12 CORK 38-400
A-237	5	3-5/8	6	5	2-5/64	#12 CORK
A-239	6	BASE OF NECK	6	5-21/64	2-3/16	#13 CORK 38-400
A-241	8	4-17/32	8-1/4	6	2-11/32	#13 CORK
A-242	10	4-9/16	9-3/8	6-9/32	2-19/32	#15 CORK 40-400
A-243	12	BASE OF NECK	11	6-11/16	2-11/16	48-400 38-400
A-244	12	4-7/8	10-3/8	6-5/8	2-45/64	#16 CORK
A-245	14	5-7/32	12-5/8	6-7/8	2-55/64	#18 CORK
A-247	16	5-1/2	13-1/4	7-17/32	2-15/16	#18 CORK 48-400
A-3284	18	5-11/16	14-3/4	7-7/16	3-1/16	#20 CORK
A-248	20	5-27/32	14-1/4	7-1/2	3-9/64	#20 CORK
A-249	24	6-1/2	16	7-59/64	3-9/32	#22 CORK 51-400
A-250	28	6-7/16	16-7/8	8-3/16	3-31/64	#23 CORK


A-251	32	BASE OF NECK	20	8-5/8	3-5/8	#20 CORK 48-400
A-252	32	6-7/8	20-3/4	8-13/16	3-43/64	#22 CORK 53-400
A-253	40	7-1/2	28-1/4	9-17/32	4	#25 CORK 53-400
A-254	48	7-7/16	30	10-3/32	4-11/32	#24 CORK 53-400
A-255	64	8-5/8	37-3/4	10-29/32	4-9/16	#30 CORK 70-400
A-256	80	8-7/8	44-3/4	11-25/32	5	#30 CORK 70-400
A-257	96	9-13/16	52-1/4	12-3/8	5-5/16	#32 CORK 75-400
A-258	128	10-1/2	59	13-3/8	5-3/4	#32 CORK 75-400

WIDE MOUTH
ROUNDS







A-2454




A-3666



A-2421



A-1181
A-949




A-1043
A-5409

WIDE MOUTH
ROUNDS




AGE PP 60


MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-1043	6 c.c.	1-3/8	27/32	2	15/16	20-400
A-5409	6 c.c.	1-7/16	59/64	1-31/32	57/64	20-400
A-2454	1	2-1/8	1-1/2	3-1/8	1-7/32	#5 CORK
A-1181	1-1/2	3	2-1/2	3-1/2	1-3/8	33-150 33-400
A-949	1-1/2	2-3/4	2-9/16	3-1/4	1-13/32	33-150 33-400
A-3666	2-1/2	2-7/8	4	4-1/6	1-3/4	W-1300
A-2421	3	2-15/16	3-3/8	3-3/4	1-45/64	#13 CORK



A-3836
A-514



A-1478
A-1355



A-948
A-4861


MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-3836	23/32	2-3/16	1-3/8	2-3/4	1-11/64	30-400
A-1478	3/4	2-27/32	1-1/2	3-5/8	1	24-400
A-1355	1	2-23/32	2	3-1/8	15/16	24-400
A-948	1	OVERFLOW	1-3/4	3-1/4	1-3/32	28-400
A-514	1-1/2	2-3/4	2-5/8	3-9/16	1-11/32	33-150
A-4861	1-1/2	2-11/16	2	3-1/4	1-11/32	33-400

WIDE MOUTH
ROUNDS





A-3818



A-5027
A-5026
A-4624

OBLONG TABLET



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-3818	1/8	BASE OF NECK	3/4	1-7/16	27/32	11/16	SP. SC. CAP
A-5026	3/4	2-1/16	1-5/8	2-3/4	1-7/16	29/32	20-400
A-5027	1-1/2	2-5/8	2-13/16	3-5/16	1-25/32	1-7/64	24-400
A-4624	2-1/4	3	3	3-11/16	1-31/32	1-7/32	28-400