


A-3965



A-402



A-403




A-404

FULL MEASURE  
PANELS

| MOLD No. |       | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH         |
|----------|-------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|----------------|
| A-402    | (1/4) | 1                  | 3-7/32              | 3                | 4-9/16           | 1-9/16          | 53/64               | 18-400 #2 CORK |
| A-403    | (1/4) | 2                  | 4-1/8               | 4-1/2            | 5-5/8            | 1-15/16         | 15/16               | 22-400 #3 CORK |
| A-3965   | (3/4) | 2                  | 3-13/16             | 4-5/8            | 5-19/32          | 1-15/16         | 15/16               | #2 CORK        |
| A-404    | (1/4) | 4                  | 4-57/64             | 7                | 6-45/64          | 2-1/4           | 1-7/32              | #4 CORK        |





B-246  
B-245



B-211



B-282



B-279

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH            |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-------------------|
| B-282    | 1                  | BASE OF NECK        | 2-3/16           | 4-1/32           | 1-9/16          | 13/16               | #3 CORK           |
| B-245    | 1                  | "                   | 2-5/8            | 4-5/32           | 1-1/2           | 27-32               | K-1300            |
| B-211    | 1-1/2              | "                   | 3-1/4            | 4-5/8            | 1-19/32         | 1-1/8               | #2 CORK           |
| B-279    | 2                  | "                   | 3-1/2            | 4-7/8            | 1-19/32         | 1-7/32              | K-1300            |
| B-246    | 4                  | "                   | 6                | 5-5/16           | 2-1/16          | 1-9/16              | #5 CORK<br>22-400 |

MACHINE OILS





A-366




A-372



A-363



A-367



A-368  
A-3881


FLAT EXTRACTS



| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH            |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-------------------|
| A-372    | 1/2                | BASE OF NECK        | 1-3/4            | 3-7/8            | 1-9/64          | 5/8                 | #2 CORK           |
| A-363    | 1                  | "                   | 3                | 5-1/16           | 1-11/16         | 11/16               | #1 CORK           |
| A-366    | 2                  | 3-29/32             | 4                | 5-9/16           | 1-13/16         | 57/64               | #3 CORK<br>22-400 |
| A-367    | 4                  | 4-9/16              | 6-1/4            | 6-5/8            | 2-15/64         | 1-1/8               | #4 CORK<br>24-400 |
| A-3881   | 6                  | 5-3/8               | 8-1/2            | 7-13/32          | 2-5/8           | 1-15/64             | CORK              |
| A-368    | 8                  | 6                   | 10-5/8           | 8-13/32          | 2-47/64         | 1-11/32             | #7 CORK<br>24-400 |



A-609  
A-370  
A-371  
A-2381



A-3229



A-3963  
A-364  
A-369  
A-1658




A-365


| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH            |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-------------------|
| A-1658   | 5 DR.              | BASE OF NECK        | 2                | 3-7/8            | 1-23/64         | 11/16               | #1 CORK           |
| A-364    | 1                  | 3-1/8               | 2-1/8            | 4-9/16           | 1-7/16          | 23/32               | #1 CORK<br>18-400 |
| A-2381   | 1-1/2              | 3-3/16              | 3-1/8            | 4-19/32          | 1-5/8           | 31/32               | 20-400<br>#3 CORK |
| A-369    | 1-1/2              | 3-3/4               | 3-1/4            | 5-15/32          | 1-11/16         | 25/32               | #2 CORK           |
| A-365    | 2                  | BASE OF NECK        | 3-3/4            | 5-1/2            | 1-59/64         | 23/32               | 20-400<br>#3 CORK |
| A-3963   | 2                  | "                   | 4-11/16          | 5-5/8            | 1-14/16         | 15/16               | #4 CORK           |
| A-370    | 3                  | 4-3/16              | 5-1/4            | 6                | 2-1/32          | 1-3/64              | 24-400<br>#4 CORK |
| A-3229   | 3                  | 4-1/4               | 5                | 5-13/16          | 2-3/16          | 1-3/16              | 24-400            |
| A-609    | 5                  | 5                   | 7-5/8            | 6-7/8            | 2-1/2           | 1-13/64             | 24-400            |
| A-371    | 6                  | 5-7/32              | 8                | 6-27/32          | 2-11/32         | 1-25/64             | #5 CORK           |

EXTRACTS







A-5754




A-5423



A-3208  
A-3434



A-3523



A-5756  
A-5565  
A-5771  
A-5804

EXTRACTS



| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH  |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|---------|
| A-3523   | 5/8                | 4                   | 3-9/16           | 5-7/16           | 1-33/64         | 11/16               | #2 CORK |
| A-3434   | 6 DR.              | 4                   | 2-3/4            | 5-13/32          | 1-5/8           | 45/64               | #2 CORK |
| A-3208   | 3/4                | 3-11/16             | 3-1/4            | 5                | 1-19/32         | 21/32               | #2 CORK |
| A-5423   | 1-7/8              | 2-1/4               | 3-1/16           | 3-3/4            | 1-29/32         | 2                   | 22-400  |
| A-5754   | 2-1/2              | 4-15/16             | 5                | 6-5/16           | 1-53/64         | DIAM.               | 20-400  |
| A-5771   | 3                  | 5-5/32              | 5-1/4            | 6-31/32          | 1-63/64         | "                   | 22-400  |
| A-5565   | 4                  | 5-5/8               | 6-3/4            | 7-7/16           | 2-11/64         | "                   | 22-400  |
| A-5804   | 5                  | 5-15/16             | 7-3/4            | 8                | 2-11/32         | "                   | 20-400  |
| A-5756   | 8                  | 7-1/16              | 10-1/2           | 8-31/32          | 2-11/16         | "                   | 24-400  |



A-5410



A-4646  
A-5039  
A-5802  
A-5034  
A-5035  
A-5036



A-4148




A-4805  
A-5461  
A-5553




| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH                   |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|--------------------------|
| A-5039   | 3/4                | 3-9/32              | 2-27/32          | 4-7/16           | 1-21/32         | 13/16               | 18-400                   |
| A-5802   | 1                  | 3-29/64             | 3                | 4-5/8            | 1-23/32         | 7/8                 | 18-400                   |
| A-5553   | 1-1/2              | 2-1/2               | 3-1/4            | 4-1/16           | 2-1/16          | 1-13/64             | #2 P.O.Ck.               |
| A-4148   | 2                  | 2-3/4               | 5-1/8            | 4-13/64          | 2-7/16          | 1-35/64             | Cork                     |
| A-5034   | 2                  | 3-11/32             | 3-3/8            | 4-3/4            | 1-53/64         | 1-7/64              | 22-400                   |
| A-4646   | 3                  | 3-15/16             | 5-1/4            | 5-1/2            | 2-3/32          | 1-11/32             | 24-400                   |
| A-5035   | 3                  | 4-1/32              | 3                | 5-5/16           | 1-59/64         | 1-7/32              | 22-400                   |
| A-5461   | 3                  | 3-23/32             | 5-1/4            | 5-1/4            | 2-11/16         | 1-5/16              | P.O.Ck./IE               |
| A-4805   | 3                  | 3-23/32             | 5-1/4            | 5-1/4            | 2-11/16         | 1-5/16              | #5 Cork                  |
| A-5166   | 3                  | 3-7/8               | 4-3/4            | 5-1/8            | 2-15/64         | 1-31/64             | 22-400                   |
| A-5036   | 4                  | 4-3/8               | 5-1/2            | 5-39/64          | 2-7/64          | 1-7/16              | 22-400                   |
| A-5154   | 4                  | 3-15/16             | 5-3/4            | 6-51/64          | 2-7/16          | 1-5/8               | 22-400                   |
| A-5155   | 8                  | 5-1/2               | 9-1/4            | 6-25/32          | 3-1/32          | 1-29/32             | 24-400                   |
| A-5410   | 8                  | 5-1/2               | 9-1/4            | 6-29/32          | 2-55/64         | 1-27/32             | 28-400 G/H<br>24-400 G/H |

EXTRACTS






A-4392-IS  
A-4333-IS  
A-4719-IS  
A-4795-IS  
A-5188-IS



TOILETS



| MOLD No.                     | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN INCHES | FINISH           |
|------------------------------|--------------------|---------------------|------------------|------------------|--------------------|------------------|
| <b>TAPER ROUNDS</b>          |                    |                     |                  |                  |                    |                  |
| A-4437-IS                    | 1/2                | 1-57/64             | 7/8              | 2-11/32          | 1-3/64             | 13-415           |
| A-4220-IS                    | 1                  | 2-5/16              | 1-3/8            | 2-27/32          | 1-5/16             | 15-415           |
| A-4257-IS                    | 2                  | 2-27/32             | 2-1/4            | 3-25/64          | 1-39/64            | 15-415           |
| A-4254-IS                    | 4                  | 3-25/64             | 4                | 4                | 2                  | 20-410           |
| A-4771-IS                    | 6                  | 3-3/4               | 5-1/2            | 4-17/32          | 2-17/64            | 22-410           |
| A-4445-IS                    | 8                  | 4-31/64             | 6-1/2            | 4-29/32          | 2-7/32             | 22-410           |
| A-4774-IS                    | 16                 | 5-1/2               | 11-1/2           | 6-5/16           | 3                  | 24-410           |
| A-5573-IS                    | 6                  | 3-21/32             | 5-1/2            | 4-29/64          | 2-9/32             | 20-301<br>20-410 |
| <b>STRAIGHT SIDED ROUNDS</b> |                    |                     |                  |                  |                    |                  |
| A-4333-IS                    | 2                  | 2-49/64             | 2-11/16          | 3-9/32           | 1-19/32            | 15-415           |
| A-4719-IS                    | 4                  | 3-15/16             | 4-1/4            | 4-47/64          | 1-25/32            | 18-415           |
| A-5188-IS                    | 5-1/2              | 4-1/2               | 5-5/8            | 5-11/32          | 1-15/16            | 18-415           |
| A-4392-IS                    | 6                  | 4-7/8               | 6                | 5-5/8            | 1-31/32            | 18-400           |
| A-4795-IS                    | 12                 | 5-15/16             | 9                | 7-1/64           | 2-13/32            | 22-415           |




A-4227-IS  
A-5064-IS




A-4998  
A-5887




A-4234-IS



A-4853-IS



A-5582



A-4555-IS

| MOLD No.  | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH   |
|-----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|----------|
| A-5064-IS | 1/2                | 1-15/16             | 1-1/8            | 2-23/64          | 1-9/64          | 1-5/64              | 10-425   |
| A-4998-IS | 1/2                | 1-11/16             | 1-1/8            | 2-11/32          | 1-3/32 DIAM.    |                     | 13-415   |
| A-5887    | 1                  | 2-5/32              | 1-5/8            | 2-61/64          | 1-5/16          | "                   | 15-415   |
| A-4234-IS | 1                  | 1-21/32             | 2                | 2-1/16           | 2               | "                   | 13-415   |
| A-4227-IS | 1-1/8              | 2-5/8               | 1-1/2            | 3                | 1-25/64         | "                   | 13-415   |
| A-4853-IS | 1-1/2              | 2-5/16              | 2-5/16           | 2-7/8            | 1-3/4           | "                   | SPEC.400 |
| A-5582-IS | 3                  | 3-11/32             | 3-1/16           | 3-59/64          | 1-43/64         | "                   | 22-400   |
| A-4555-IS | 4                  | 4-1/16              | 3-1/2            | 4-43/64          | 1-53/64         | "                   | 18-410   |

TOILETS







A-510  
A-509  
A-4913




ROUND TOILETS



| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN INCHES | FINISH                    |
|----------|--------------------|---------------------|------------------|------------------|--------------------|---------------------------|
| A-4059   | 1/4                | 1-9/16              | 3/4              | 2-5/16           | 7/8                | SPEC. SPRINKLER           |
| A-2099   | 1                  | 2-1/4               | 2-1/2            | 3-11/16          | 1-13/32            | 18-300 - 18-400           |
| A-499    | 2                  | 2-15/16             | 3-5/8            | 4-3/8            | 1-41/64            | 18-300 - 18-400           |
| A-501    | 3                  | 3-7/16              | 4-1/4            | 5-3/8            | 1-53/64            | #3 CORK - 22-400 - 20-400 |
| A-2609   | 4                  | 4                   | 4-1/2            | 5-49/64          | 1-13/16            | #3 CORK                   |
| A-503    | 4                  | 3-7/8               | 5-1/2            | 5-1/2            | 1-61/64            | #2 CORK - 20-300 - 20-400 |
| A-3330   | 6                  | 4-1/2               | 6                | 7-1/64           | 2-1/16             | #4 CORK - 24-150 - 20-400 |
| A-504    | 6                  | 4-27/32             | 7                | 6-1/2            | 2-3/16             | #5 CORK 18-300 - 18-400   |
| A-506    | 8                  | 4-7/8               | 8-5/8            | 7-1/8            | 2-5/16             | #3 CORK - 20-300 - 20-400 |
| A-3263   | 8                  | 4-5/8               | 7-3/4            | 6-49/64          | 2-21/64            | CORK                      |
| A-4913   | 12 ✓               | 6-1/4               | 12-1/8           | 9-11/16          | 2-5/8              | 20-400                    |
| A-508    | 16                 | 6-3/8               | 13-5/8           | 9-1/16           | 2-29/32            | #6 CORK - 20-300 - 20-400 |
| A-509    | 21-1/3             | 6-7/8               | 19               | 10-5/8           | 3-13/64            | 20-300 - 20-400           |
| A-510    | 21-1/3             | 7-1/8               | 21-1/4           | 10-29/32         | 3-7/64             | #6 CORK - 20-300 - 20-400 |
| A-512    | 32                 | 7-5/8               | 24-1/2           | 11-1/8           | 3-21/32            | #6 CORK - 20-300 - 20-400 |




A-5681



A-2295  
A-1582  
A-2717  
A-4459  
A-4391



A-3132



A-1391

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN INCHES | FINISH            |
|----------|--------------------|---------------------|------------------|------------------|--------------------|-------------------|
| A-4391   | 1-1/2              | 3-5/16              | 2-1/2            | 5                | 1-5/16             | #2 CORK           |
| A-2717   | 3-1/2              | 3-3/8               | 5-3/8            | 4-1/4            | 2                  | #4 CORK           |
| A-1582   | 4                  | 3-9/16              | 4-3/4            | 5-25/32          | 1-15/16            | #4 CORK           |
| A-3132   | 6                  | 4-13/32             | 7-1/2            | 7-1/16           | 2-9/16             | 28-400            |
| A-2295   | 8                  | 4-11/16             | 7                | 7-3/16           | 2-3/8              | #5 CORK<br>28-400 |
| A-5681   | 10                 | 4-3/4               | 13               | 8-11/32          | 2-49/64            | CORK              |
| A-4459   | 10                 | 6-1/4               | 12-5/8           | 9-5/32           | 2-7/16             | #8 CORK           |
| A-1391   | 16                 | BASE OF NECK        | 13-1/2           | 8-1/16           | 2-29/32            | 20-300<br>#6 CORK |

ROUND TOILETS






OBLONG TOILETS

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH                      |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-----------------------------|
| A-1644   | 1                  | 2-21/32             | 2-1/2            | 3-29/32          | 1-19/32         | 27/32               | K-1300<br>#2 CORK           |
| A-1645   | 2                  | 3-3/32              | 3-1/2            | 4-25/32          | 1-13/16         | 1-1/16              | O-1300<br>#4 CORK<br>20-400 |
| A-1648   | 8                  | 4-11/32             | 9-1/2            | 6-13/32          | 2-13/16         | 1-47/64             | T-1300<br>20-300<br>20-400  |
| A-1649   | 16                 | 5-15/16             | 16-1/4           | 8-1/64           | 3-13/32         | 2-1/64              | A-1300<br>28-400            |
| A-1657   | 32                 | 7-1/4               | 22               | 9-5/8            | 4-5/32          | 2-1/2               | W-1300<br>38-400            |






A-2873  
A-902

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH            |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-------------------|
| A-487    | 1/2                | 2-1/4               | 1-1/2            | 3-21/64          | 1-19/64         | 3/4                 | 18-400            |
| A-488    | 1                  | 2-11/32             | 1-3/4            | 3-3/8            | 1-15/32         | 1-5/16              | 18-400<br>#2 CORK |
| A-3563   | 2                  | 2-31/32             | 3-1/16           | 4-21/64          | 1-61/64         | 1-3/32              | #4 CORK           |
| A-3564   | 3                  | 3-5/16              | 4-3/32           | 4-7/8            | 2-3/32          | 1-19/64             | 22-400            |
| A-902    | 4                  | 3-9/16              | 5-1/8            | 5-27/64          | 2-3/8           | 1-25/64             | #5 CORK           |
| A-496    | 16                 | 5-7/16              | 15               | 8-1/8            | 3-5/16          | 2-5/16              | 28-400            |
| A-4645   | 16                 | 5-7/16              | 15               | 7-5/16           | 3-1/2           | 2-17/64             | 33-400            |
| A-2873   | 16                 | 6                   | 15-3/4           | 8-3/16           | 3-1/2           | 1-31/32             | 33-400<br>#8 CORK |

VELVA OBLONG  
TOILETS






A-360



A-4569  
A-3374



A-1604




A-348  
A-361

OBLONG TOILETS



| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH                      |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-----------------------------|
| A-3374   | 2                  | 3-13/32             | 3-3/4            | 4-15/16          | 1-7/8           | 31/32               | 24-400                      |
| A-1604   | 3                  | BASE OF NECK        | 5-1/2            | 6-5/32           | 1-3/4           | 1-13/32             | 20-300<br>#5 CORK           |
| A-348    | 3-1/2              | 4-1/4               | 6                | 6-9/32           | 1-13/16         | 1-15/32             | 20-300<br>#4 CORK<br>22-400 |
| A-4569   | 4-3/4              | 3-13/16             | 6                | 4-15/16          | 2-3/8           | 1-13/32             | 24-400                      |
| A-360    | 8                  | 5-1/16              | 8-5/8            | 7-1/2            | 2-7/16          | 1-3/4               | #6 CORK<br>20-400           |
| A-361    | 8                  | 4-3/4               | 10               | 7                | 2-3/8           | 2-1/8               | 20-300<br>#4 CORK<br>20-400 |



A-1962



A-1047  
A-1489  
A-4275  
A-898



A-3011  
A-3009  
A-3010




A-1390


| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH            |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-------------------|
| A-3009   | 1/2                | 1-3/4               | 1                | 2-7/8            | 1-5/32          | 13/16               | #1 CORK<br>18-400 |
| A-3010   | 1                  | 2-1/4               | 1-7/8            | 3-9/16           | 1-7/16          | 31/32               | #2 CORK<br>18-400 |
| A-3011   | 2                  | 2-3/4               | 3                | 4-11/32          | 1-11/16         | 1-7/32              | #3 CORK<br>20-400 |
| A-898    | 2                  | 3-3/8               | 3-1/2            | 5-3/16           | 1-11/16         | 1-1/32              | #3 CORK<br>20-400 |
| A-4275   | 4                  | 4-1/16              | 5-11/32          | 6-1/16           | 1-29/32         | 1-7/16              | #4 CORK<br>20-300 |
| A-1047   | 4                  | 4                   | 5-11/16          | 6-11/32          | 1-61/64         | 1-15/32             | #4 CORK<br>20-400 |
| A-1489   | 4                  | 4                   | 5-11/16          | 5-1/2            | 1-31/32         | 1-31/64             | #4 CORK<br>20-300 |
| A-1962   | 6                  | 4-19/32             | 7-3/4            | 7-7/64           | 2-23/64         | 1-9/16              | #5 CORK<br>20-300 |
| A-1390   | 6                  | 4-1/2               | 8                | 6-3/8            | 2-3/16          | 1-13/16             | #5 CORK<br>20-400 |

OBLONG TOILETS






A-3172  
A-3192



A-3177



A-2669


TOILETS

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH      |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-------------|
| A-3192   | 3/4                | 2-3/4               | 3-1/16           | 4-1/64           | 1-11/16         | 27/32               | 18-400      |
| A-3172   | 4                  | 5-3/4               | 4-3/8            | 5-5/8            | 2-1/2           | 1-11/32             | 28-400      |
| A-3177   | 4                  | 5-1/8               | 5-7/8            | 5-31/32          | 2-1/4           | 1-11/32             | 24-400      |
| A-2669   | 5                  | 5-1/4               | 7                | 6-1/32           | 2-1/2           | 1-3/8               | SP. SC. CAP |






A-3051



A-3858



A-3178




A-2706

| MOLD NO. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH            |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-------------------|
| A-2706   | 3                  | 3-15/16             | 6-1/4            | 6-1/8            | 2-1/8           | 1-23/64             | #4 CORK<br>24-400 |
| A-3858   | 3-3/4              | 4-5/8               | 3-3/4            | 5-23/32          | 2-33/64         | 1-11/32             | 24-400<br>24-150  |
| A-3178   | 4                  | 4-7/32              | 6                | 5-9/32           | 2-19/64         | 1-3/8               | 24-400            |
| A-3051   | 8                  | 4-5/16              | 9                | 7-1/4            | 2-63/64         | 1-23/32             | 28-400            |


OBLONG TOILETS








A-347



A-4502  
A-5905  
A-354



A-353



A-2393

OBLONG TOILETS



| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH                                |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|---------------------------------------|
| A-4502   | 2                  | 3-7/16              | 4                | 4-11/16          | 1-53/64         | 1-5/32              | 20-400                                |
| A-347    | 3                  | 4-1/4               | 7                | 6-15/32          | 1-29/32         | 1-25/64             | #4 CORK<br>24-400<br>20-300<br>20-400 |
| A-354    | 4                  | 4-13/32             | 7-1/4            | 6-1/4            | 1-29/64         | 2-1/4               | 24-400<br>20-300<br>#4 CORK           |
| A-353    | 4                  | 4-1/2               | 7                | 6-1/4            | 2-1/4           | 1-7/16              | 20-300<br>24-400<br>24-300<br>20-400  |
| A-5905   | 4                  | 4-13/32             | 7-1/2            | 6-1/4            | 2-15/64         | 1-29/64             | 20-400                                |
| A-2393   | 6                  | 4-31/32             | 7-1/4            | 6-19/32          | 2-25/32         | 1-9/16              | #5 CORK                               |