


A-742



A-358



A-1148



A-1123
A-1124




A-2394

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-------------|
| A-742 | 3 | 3-13/16 | 5-1/2 | 4-45/64 | 2-11/16 | 1-11/32 | 33-400 |
| A-2394 | 4 | 3-15/16 | 5-1/2 | 4-11/16 | 2-1/4 | 2-1/2 | SP. SC. CAP |
| A-358 | 6 | 3-5/16 | 7-1/2 | 4-5/16 | 3-1/4 | 1-37/64 | 38-400 |
| A-1123 | 6 | 4-1/2 | 7-1/4 | 5-5/64 | 2-1/2 | 1-41/64 | 38-400 |
| A-1148 | 6 | 5-1/8 | 7-1/2 | 5-29/32 | 2-29/64 | 1-39/64 | SP. SC. CAP |
| A-1124 | 16 | 6-5/16 | 16 | 7-3/16 | 3-3/8 | 2-1/16 | 45-400 |

BATH SALTS
TALCUMS





A-5459
A-5818



A-4374



A-5120-IS
A-4970-IS
A-4244-IS
A-4469-IS
A-5421

BRILLIANTINES
AND
WAVE SET



| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH |
|-----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|--------------------|
| A-4970-IS | 1/2 | 1-7/8 | 1-3/8 | 2-21/64 | 1-21/32 | 41/64 | 13-415 |
| A-4469-IS | 1/2 | 1-15/16 | 1-5/8 | 2-5/16 | 1-11/16 | 21/32 | 15-SPEC. |
| A-5459 | 2 | 2-3/32 | 4 | 3-1/64 | 2-11/64 | 1-19/64 | 20-300 20-410 |
| A-5421 | 3 | 2-19/32 | 4-3/4 | 3-15/64 | 2-11/32 | 1-31/64 | SP. 20- 301-410 |
| A-4374 | 3 | 2-3/8 | 5-1/2 | 3-15/32 | 2-7/32 | 1-45/64 | 20-400 20-300 |
| A-5818 | 3 | 2-17/32 | 4-3/4 | 3-9/16 | 2-11/32 | 1-15/32 | 20-400 20-301 |
| A-4244-IS | 3 | 2-1/2 | 4 | 3-3/16 | 2-25/32 | 1-15/64 | 20-410 |
| A-5120-IS | 3 | 2-1/2 | 4-1/8 | 3-5/64 | 2-49/64 | 1-15/64 | 20-410 |
| A-5896 | 6 | 4-9/16 | 7-1/2 | 5-11/32 | 2-1/4 | 1-3/4 | 43-400 |



A-3122



A-1314
A-3521
A-4571



A-345



A-5529


| MOLD NO. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH |
|-----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-------------------|
| A-3521 | 1/2 | 1-7/8 | 1-5/8 | 2-3/8 | 1-15/64 DIAM. | | #5 CORK |
| A-4571 | 1-3/4 | 2-23/32 | 4 | 4-1/64 | 1-47/64 | " | #4 CORK 22-400 |
| A-1314 | 1-3/4 | 2-23/32 | 4 | 3-5/8 | 1-3/4 | " | 22-400 |
| A-345 | 2 | 2-1/4 | 4-1/4 | 3-7/32 | 1-21/32 | 1-21/32 | 20-400 |
| A-3122 | 3 | 2-13/32 | 5-1/2 | 3-19/32 | 2-13/64 | 1-43/64 | 20-300 |
| A-5529-IS | 3 | 2-5/8 | 4-31/32 | 3-9/32 | 2-25/64 | 1-1/2 | 20-410 |

BRILLIANTINES







B-198



B-242
B-137




B-79



B-586



A-548
B-336
B-584



B-248
B-138

SQUARE AND
OBLONG POLISH



| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|----------------|
| B-336 | 1-3/4 | 2-1/8 | 3-3/4 | 3-5/16 | 1-27/32 | 1-3/8 | #9 CORK |
| A-548 | 2 | 2-7/16 | 3-1/4 | 3-33/64 | 1-55/64 | 1-11/32 | #9 CORK |
| B-584 | 2 | 2-7/16 | 3-9/16 | 3-11/32 | 1-3/16 | 1-11/32 | BEAD-RING CORK |
| B-586 | 2-1/2 | 3-11/16 | 4-5/16 | 4-47/64 | 1-55/64 | 1-9/64 | 28-400 |
| B-248 | 2-3/4 | 3-13/16 | 4-7/8 | 5-3/32 | 1-17/64 | DIAM. | 28-400 |
| B-79 | 3 | 3-3/8 | 6 | 4-5/8 | 1-21/32 | " | #7 CORK |
| B-242 | 3 | 3-1/4 | 5-1/2 | 4-3/8 | 1-41/64 | " | #10 CORK |
| B-137 | 3-1/2 | 3-3/8 | 5 | 4-5/16 | 1-11/16 | " | #8 CORK |
| B-138 | 3-1/2 | BASE OF NECK | 6-1/4 | 5-19/64 | 2-13/64 | 1-11/32 | #9 CORK |
| B-198 | 4 | 4 | 5 | 4-15/16 | 4-41/64 | DIAM. | 33-400 |
| | | | | | | | #11 CORK |
| | | | | | | | SP. Sc. CORK |



A-313
B-308
B-502



A-4472
A-4615
A-2857



B-190



B-214
B-73



B-252



B-135

| MOLD NO. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN INCHES | FINISH |
|----------|--------------------|---------------------|------------------|------------------|--------------------|-------------------|
| A-2857 | 11/16 | 2 | 1-1/8 | 2-5/8 | 1-1/8 | CORK |
| B-214 | 1 | 1-15/16 | 2-5/8 | 2-15/16 | 1-15/16 | #8 CORK 28-400 |
| A-4472 | 50 c.c. | 2-1/8 | 3 | 3-3/16 | 1-41/64 | SQ. RING CORK |
| B-502 | 1-3/4 | 2-3/16 | 3-1/2 | 3-3/16 | 1-23/32 | #9 CORK |
| A-313 | 1-7/8 | OVERFLOW | 4 | 3-9/32 | 1-11/16 | #10 CORK |
| B-308 | 2 | 2-1/2 | 3-1/4 | 3-1/2 | 1-45/64 | #10 CORK |
| B-73 | 2 | 2-7/16 | 3-1/4 | 2-3/8 | 1-3/4 | #8 CORK |
| B-135 | 2 | 2-11/16 | 3-3/4 | 3-27/32 | 1-11/16 | #8 CORK 28-400 |
| A-4615 | 3 | 3-1/8 | 3-1/2 | 3-63/64 | 1-25/32 | CORK |
| B-190 | 8 | 4-7/16 | 7-5/8 | 6 | 2-3/8 | 28-400 |
| B-252 | 8 | 4-1/2 | 8 | 5-21/32 | 2-21/64 | #10 CORK |

ROUND POLISH







A-2600



A-2450
A-1931
A-2794



B-485



A-1262

PANEL POLISH




| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH |
|--------------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-------------------|
| A-2600 (3/4) | 1-1/2 | 2-13/16 | 3-1/8 | 4-3/16 | 2-5/8 | 1-7/8 | 28-400 |
| A-1931 (1/4) | 2-1/2 | 3-9/16 | 4-1/8 | 4-57/64 | 1-7/8 | 1-1/8 | #6 CORK |
| A-2450 (1/4) | 2-3/4 | 3-5/8 | 3-7/8 | 5-1/16 | 1-27/32 | 1-3/16 | #5 CORK 24-400 |
| A-2794 (1/4) | 2-3/4 | BASE OF NECK | 4-3/8 | 4-63/64 | 1-13/16 | 1-1/4 | 24-400 |
| B-485 (1/4) | 3-1/4 | 3-7/8 | 5-15/16 | 5-7/32 | 2-11/64 | 1-11/32 | 24-400 |
| A-1262 (1/4) | 4 | 4-3/32 | 6-1/4 | 5-13/16 | 1-5/16 | 2-19/64 | #7 CORK 28-400 |



B-338



B-41
B-42



B-156



B-701

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN INCHES | FINISH |
|----------|--------------------|---------------------|------------------|------------------|--------------------|---------|
| B-338 | 3 DR. | BASE OF NECK | 1-1/8 | 2-3/32 | 1-5/32 | #1 CORK |
| B-156 | 3/4 | " | 1-1/2 | 2-1/2 | 1-9/32 | #1 CORK |
| B-701 | 1-1/2 | 2-3/16 | 2-3/4 | 2-43/64 | 1-27/32 | 33-400 |
| B-41 | 16 | 5-3/4 | 12-3/4 | 7 | 3 | #9 CORK |
| B-42 | 32 | 7-1/2 | 21 | 9 | 3-21/32 | #9 CORK |

INKS





B-569
B-567



A-1754
B-709



A-3314
A-4187



A-1651
A-1625
A-1939
A-3235
A-5029



A-1188

PASTE
AND
CREAM JARS



| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN INCHES | FINISH |
|----------|--------------------|---------------------|------------------|------------------|--------------------|------------------|
| B-567 | 3/4 | 1-29/64 | 1-7/16 | 1-31/32 | 1-3/8 | 33-120 |
| B-569 | 1-1/2 | 1-3/4 | 3 | 2-17/32 | 1-25/32 | 43-400 |
| A-1651 | 1-1/2 | 2-5/16 | 4-7/8 | 2-11/16 | 1-7/8 | 45-400 |
| A-3314 | 1-1/2 | 1-5/8 | 2-1/4 | 2-9/32 | 1-49/64 | 48-400 |
| A-4187 | 2 | 1-29/32 | 3 | 2-13/32 | 1-29/32 | 43-400 |
| B-709 | 2 | 2-3/32 | 4 | 2-19/32 | 2-1/32 | 48-140 |
| A-1939 | 2 | OVERFLOW | 3-1/2 | 2-11/16 | 1-27/32 | 38-400 |
| A-5029 | 2 | 2-5/16 | 3-11/16 | 2-9/16 | 1-31/32 | 48-400 |
| A-1188 | 2-1/4 | 2-3/64 | 3-1/2 | 2-41/64 | 2 | 48-100 48-400 |
| A-1754 | 3 | 2-3/16 | 4-1/2 | 2-3/4 | 2-19/64 | 58-400 |
| A-1625 | 3-1/2 | OVERFLOW | 4-3/4 | 3 | 2-1/16 | 53-400 |
| A-3235 | 4-1/2 | 2-5/16 | 8 | 2-7/8 | 2-13/16 | 70-400 |



A-3826
A-4834



A-4761
A-1466
B-50



B-496
B-497
B-495



A-4311




A-2003
A-2016

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN INCHES | FINISH |
|----------|--------------------|---------------------|------------------|------------------|--------------------|-------------|
| A-4834 | 1/2 | 1-3/8 | 1-3/8 | 1-7/8 | 1-15/64 | 30-400 |
| A-4761 | 35/64 | 1-25/32 | 2-15/16 | 2-9/32 | 1-19/32 | 38-400 |
| A-1466 | 1 | 2-3/8 | 2-1/4 | 2-1/2 | 1-1/2 | 35-2300 |
| B-495 | 1-1/4 | 1-27/32 | 2-3/4 | 2-13/32 | 1-5/8 | 45-400 |
| A-2016 | 2 | OVERFLOW | 3-1/16 | 2-5/8 | 1-15/16 | 38-400 |
| B-50 | 2 | 2-3/16 | 3-1/2 | 2-25/32 | 1-7/8 | 43-400 |
| A-2003 | 2-3/8 | 2-7/16 | 3-1/2 | 2-13/16 | 2-7/64 | SP. Sc. CAP |
| B-496 | 2-1/2 | 2-5/32 | 3-1/2 | 2-23/32 | 2-1/16 | 53-400 |
| A-3826 | 3-1/4 | 2-1/2 | 4-3/4 | 3 | 2-1/8 | 53-400 |
| A-4311 | 4 | 3-1/8 | 5 | 3-9/32 | 2-3/16 | 53-400 |
| B-497 | 5 | 2-45/64 | 6 | 3-19/64 | 2-7/16 | 66-400 |

PASTE
AND
CREAM JARS





STRAIGHT SIDED
CREAM JARS



PAGE PP 136

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN INCHES | FINISH |
|-------------|--------------------------|---------------------------|------------------------|------------------------|--------------------------|--------|
| A-5095 | 1 | 1-19/64 | 2-1/4 | 1-45/64 | 1-25/32 | 43-400 |
| A-5031-IS | 1 | 1-11/64 | 1-3/4 | 1-5/8 | 1-25/32 | 43-400 |
| A-5925 | 1-1/2 | 1-27/64 | 2-3/4 | 1-53/64 | 2 | 48-400 |
| A-5239 | 2 | 1-29/64 | 2-7/8 | 1-55/64 | 2-13/64 | 53-400 |
| A-4839-IS | 2 | 1-29/64 | 3 | 1-61/64 | 2-13/64 | 53-411 |
| A-4840-IS | 3 | 1-25/32 | 4-1/4 | 2-5/32 | 2-15/32 | 60-411 |
| A-5105 | 3 | 1-7/8 | 4-1/16 | 2-15/32 | 2-5/16 | 18-415 |
| A-5458 | 4 | 2-1/4 | 5-1/2 | 2-21/32 | 2-31/64 | 60-400 |
| A-4841-IS | 4 | 1-7/8 | 5 | 2-3/8 | 2-11/16 | 66-411 |
| A-4921-IS | 8 | 2-23/32 | 7-1/2 | 3-3/32 | 3-1/16 | 75-411 |
| A-455 | 14 | To RING | 14-1/2 | 4-5/16 | 3-17/32 | 89-400 |



A-5009-IS
A-5126-IS



A-4251-IS
A-4252-IS



A-4491-IS



A-4755-IS
A-4229-IS
A-4230-IS
A-5204
A-5809



A-5964

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN INCHES | FINISH |
|-----------|--------------------|---------------------|------------------|------------------|--------------------|---------|
| A-4251-IS | 2 | 1-33/64 | 3-5/16 | 1-57/64 | 2-5/16 | 48-400 |
| A-4229-IS | 2 | 1-23/32 | 3 | 2-5/64 | 2-9/64 | 53-411 |
| A-4755-IS | 3 | BASE OF FINISH | 4 | 2-1/4 | 2-15/32 | 60-411 |
| A-5964 | 3-1/2 | OVERFLOW | 4 | 2-5/8 | 2-61/64 | 53-400 |
| A-4230-IS | 4 | 2-1/32 | 4-1/2 | 2-3/8 | 3-11/16 | 66-411 |
| A-4252-IS | 4 | 1-25/32 | 4-1/2 | 2-5/32 | 2-51/64 | 60-400 |
| A-4491-IS | 4 | 1-7/16 | 4-1/2 | 1-31/32 | 3-7/32 | 66-400 |
| A-5009-IS | 4-11/16 | OVERFLOW | 4-15/16 | 1-31/32 | 3-1/32 | 75-400 |
| A-5126-IS | 4-11/16 | " | 4-9/16 | 1-15/16 | 3-3/64 | 75-2200 |
| A-5204 | 10 | " | 9 | 3-15/64 | 3-1/4 | 58-400 |
| A-5809 | 7-1/2 | 2-3/8 | 8 | 2-27/32 | 3-13/32 | 83-400 |

CREAM JARS






A-149



A-150



A-151

CREAM JARS

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN INCHES | FINISH |
|-------------|--------------------------|---------------------------|------------------------|------------------------|--------------------------|----------------|
| A-149 | 1 | 1-7/8 | 2-3/4 | 2-9/32 | 1-37/64 | 38-400 |
| A-150 | 1-1/2 | 1-23/32 | 2-7/8 | 2-11/32 | 1-13/16 | Sp. Sc. CAP |
| A-151 | 2 | 2-5/8 | 3-1/4 | 2-61/64 | 1-11/16 | Sp. Sc. CAP |





A-456



A-453



A-451

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN INCHES | FINISH |
|----------|--------------------|---------------------|------------------|------------------|--------------------|--------|
| A-451 | 4 | 3-1/8 | 5 | 3-1/4 | 2-5/8 | 53-400 |
| A-453 | 8 | 3-9/16 | 8-3/4 | 3-25/32 | 2-11/16 | 70-400 |
| A-456 | 17 | 3-23/32 | 14-3/4 | 4-27/64 | 3-11/16 | 89-400 |

CREAM JARS
OINTMENT





A-4182



A-5199
A-5652



A-3851

CREAM JARS
OINTMENT

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|---------|
| A-4182 | 4 | 2-1/2 | 6 | 3-25/64 | 2-33/64 | 2-1/8 | 58-400 |
| A-5199 | 13-3/4 | OVERFLOW | 11 | 3-29/32 | 3-5/16 DIAM. | | 83-400 |
| A-5652 | 14-1/2 | 3-5/8 | 13-1/2 | 4-1/16 | 3-37/64 DIAM. | | 89-400 |
| A-3851 | 90 | 7-1/4 | 50 | 8-1/32 | 6-5/64 DIAM. | | 120-400 |





A-2566
A-3118



A-4323



A-4747



A-452

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN. INCHES | FINISH |
|----------|--------------------|---------------------|------------------|------------------|---------------------|---------------------------|
| A-452 | 8 | 2-23/32 | 7-1/4 | 3-13/64 | 3-5/64 | SP. Sc. CAP. 70-40U |
| A-3118 | 14 | 3-5/8 | 13-1/2 | 4-3/32 | 3-9/16 | 89-400 |
| A-2566 | 14 | 3-1/4 | 12-3/4 | 3-3/4 | 3-49/64 | 92-1800 |
| A-4323 | 16 | 3-23/32 | 14-3/4 | 4-21/64 | 3-11/16 | 89-400 |
| A-4747 | 16 | 3-13/16 | 12-9/16 | 4-1/16 | 3-19/32 | 89-400 |

CREAM JARS
OINTMENT





A-906



A-1581



A-3831



A-1139



A-1133



A-1665

TOILET CREAM JARS



| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-------------|
| A-1133 | 2 | BASE OF NECK | 3-1/4 | 3-29/64 | 2-1/8 | 1-13/32 | Sp. Sc. CAP |
| A-1139 | 2 | " | 3-1/2 | 3-1/8 | 2-1/16 | 1-15/32 | " |
| A-1665 | 2-3/8 | 2-5/32 | 4 | 2-23/32 | 1-15/16 | 1-25/32 | " |
| A-3831 | 3 | OVERFLOW | 4-7/8 | 2-7/8 | 2-11/64 | 2-11/64 | 45-400 |
| A-906 | 3 | 2-1/4 | 5-1/2 | 2-15/16 | 2-1/4 DIAM. | | 48-100 |
| A-5181 | 4 | BASE OF NECK | 4 | 3-1/16 | 2-9/32 | " | 43-400 |



A-2942



A-2220



A-2017
A-3244



A-1395
A-4440
A-4441



A-1927



A-3025

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH |
|-----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-----------|
| A-4440-IS | 1 | 1-19/32 | 1-1/2 | 2-1/16 | 1-31/32 | 1-1/2 | 33-400 |
| A-1395 | 1-1/2 | 1-11/16 | 2-1/2 | 2-13/64 | 2-9/32 | 1-23/32 | 38-400 |
| A-2220 | 50 c.c. | 2-1/8 | 2-3/4 | 2-21/32 | 1-21/32 DIAM. | | SP.Sc.CAP |
| A-4441-IS | 2 | 2 | 2-3/4 | 2-1/2 | 1-29/64 | 1-45/64 | 38-400 |
| A-3025 | 2 | 2-3/16 | 4 | 2-23/32 | 2-5/32 | 1-7/8 | 45-400 |
| A-3244 | 2 | 2-3/16 | 3-1/2 | 2-3/4 | 1-55/64 DIAM. | | 43-400 |
| A-1927 | 2 | BASE OF NECK | 3-3/4 | 2-13/16 | 2-19/64 | 1-3/4 | 43-400 |
| A-2942 | 2 | 1-15/16 | 4-1/2 | 2-21/32 | 2-11/16 | 2-3/32 | 48-400 |
| A-2017 | 16-1/2 DR. | OVERFLOW | 2-1/2 | 2-19/32 | 1-21/32 DIAM. | | 38-400 |

TOILET CREAM JAR





A-459
A-4181



A-3355
A-4739
A-4360



A-458



A-4656



A-5560

POMADES OR
PETROLATUM



| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | WIDTH IN INCHES | THICKNESS IN INCHES | FINISH |
|----------|--------------------|---------------------|------------------|------------------|-----------------|---------------------|-------------|
| A-458 | 1-1/2 | 1-13/16 | 2-3/4 | 2-15/32 | 1-49/64 | DIAM. | 43-400 |
| A-4181 | 1-1/2 | 1-13/16 | 3-5/8 | 2-35/64 | 1-57/64 | " | 38-400 |
| A-459 | 2 | 1-7/8 | 3 | 2-5/8 | 1-61/64 | " | 43-400 |
| A-4360 | 2-1/2 | 1-31/32 | 3-1/2 | 2-21/32 | 2-3/32 | " | 43-400 |
| A-4739 | 4 | 2-29/32 | 5-1/4 | 3-13/32 | 2-1/4 | " | 43-400 |
| A-3355 | 5 | 2-3/4 | 6 | 3-3/16 | 2-1/2 | " | SP. SC. CAP |
| A-4656 | 5 | 3 | 5-1/2 | 3-3/8 | 2-13/32 | 2-13/32 | 51-400 |
| A-5560 | 5 | 3-1/8 | 7-1/2 | 3-7/8 | 2-25/64 | 2-25/64 | 53-400 |




B-127



B-172



B-280



B-426

| MOLD No. | CAPACITY IN OUNCES | IDEAL FILLING POINT | WEIGHT IN OUNCES | HEIGHT IN INCHES | DIAMETER IN INCHES | FINISH |
|----------|--------------------|---------------------|------------------|------------------|--------------------|----------------|
| B-280 | 32 | 6-11/16 | 22-1/4 | 8-3/16 | 3-11/16 | "G" MASON BEAD |
| B-172 | 32 | 6-3/4 | 21 | 8-5/16 | 4 | "G" MASON BEAD |
| B-127 | 32 | LINE IN NECK | 18-1/2 | 8-15/16 | 4-1/16 | G-450 |
| B-426 | 32 | SHOULDER RING | 28 | 14-1/2 | 3-3/32 | 36-1800 |

OIL CONTAINERS





OWENS - ILLINOIS GLASS COMPANY

CRATE SERVICE CARTONS

TABLE FOR COMPUTING PACKAGE QUANTITIES and WEIGHTS

Use this Table to determine Quantity and Weight for Crate Service Carton Packing when this information is not given. Opposite Bottle Weight is shown Quantity and Package Weight.

| Bottle Weight | Dozens per Carton | Pounds per Carton | Bottle Weight | Dozens per Carton | Pounds per Carton |
|--------------------------------------|-------------------|-------------------|--------------------------------------|-------------------|-------------------|
| 1 oz. or under | 60 | 50 | 8 ³ / ₄ Ounces | 9 | 64 |
| 1 ¹ / ₄ Ounces | 60 | 61 | 9 " | 9 | 65 |
| 1 ¹ / ₂ " | 48 | 54 | 9 ¹ / ₄ " | 6 | 46 |
| 1 ³ / ₄ " | 45 | 64 | 9 ¹ / ₂ " | 6 | 47 |
| 2 " | 36 | 59 | 9 ³ / ₄ " | 6 | 48 |
| 2 ¹ / ₄ " | 36 | 65 | 10 " | 6 | 49 |
| 2 ¹ / ₂ " | 30 | 61 | 10 ¹ / ₄ " | 6 | 50 |
| 2 ³ / ₄ " | 30 | 65 | 10 ¹ / ₂ " | 6 | 51 |
| 3 " | 27 | 65 | 10 ³ / ₄ " | 6 | 52 |
| 3 ¹ / ₄ " | 24 | 64 | 11 " | 6 | 54 |
| 3 ¹ / ₂ " | 21 | 60 | 11 ¹ / ₄ " | 6 | 55 |
| 3 ³ / ₄ " | 21 | 64 | 11 ¹ / ₂ " | 6 | 56 |
| 4 " | 18 | 59 | 11 ³ / ₄ " | 6 | 57 |
| 4 ¹ / ₄ " | 18 | 63 | 12 " | 6 | 58 |
| 4 ¹ / ₂ " | 18 | 65 | 12 ¹ / ₄ " | 6 | 59 |
| 4 ³ / ₄ " | 15 | 59 | 12 ¹ / ₂ " | 6 | 60 |
| 5 " | 15 | 61 | 12 ³ / ₄ " | 6 | 61 |
| 5 ¹ / ₄ " | 15 | 63 | 13 " | 6 | 63 |
| 5 ¹ / ₂ " | 15 | 65 | 13 ¹ / ₄ " | 6 | 64 |
| 5 ³ / ₄ " | 12 | 57 | 13 ¹ / ₂ " | 6 | 65 |
| 6 " | 12 | 59 | 13 ³ / ₄ " | 6 | 65 |
| 6 ¹ / ₄ " | 12 | 61 | 14 " | 3 | 36 |
| 6 ¹ / ₂ " | 12 | 63 | 14 ¹ / ₄ " | 3 | 36 |
| 6 ³ / ₄ " | 12 | 65 | 14 ¹ / ₂ " | 3 | 37 |
| 7 " | 9 | 52 | 14 ³ / ₄ " | 3 | 37 |
| 7 ¹ / ₄ " | 9 | 54 | 15 " | 3 | 38 |
| 7 ¹ / ₂ " | 9 | 56 | 15 ¹ / ₄ " | 3 | 38 |
| 7 ³ / ₄ " | 9 | 58 | 15 ¹ / ₂ " | 3 | 39 |
| 8 " | 9 | 59 | 15 ³ / ₄ " | 3 | 39 |
| 8 ¹ / ₄ " | 9 | 60 | 16 " | 3 | 40 |
| 8 ¹ / ₂ " | 9 | 62 | 16 ¹ / ₄ " | 3 | 41 |

NOTE: Above weights and quantities are approximate but may be considered reasonably accurate to estimate weights for Crate Service Cartons.

(continued on next page)



CRATE SERVICE CARTONS

TABLE FOR COMPUTING PACKAGE QUANTITIES and WEIGHTS

(Continued)

| Bottle Weight | Dozens per Carton | Pounds per Carton | Bottle Weight | Dozens per Carton | Pounds per Carton |
|---------------|-------------------|-------------------|---------------|-------------------|-------------------|
| 16½ Ounces | 3 | 41 | 24½ Ounces | 3 | 59 |
| 16¾ “ | 3 | 42 | 24¾ “ | 3 | 60 |
| 17 “ | 3 | 42 | 25 “ | 3 | 60 |
| 17¼ “ | 3 | 43 | 25¼ “ | 3 | 61 |
| 17½ “ | 3 | 43 | 25½ “ | 3 | 61 |
| 17¾ “ | 3 | 44 | 25¾ “ | 3 | 62 |
| 18 “ | 3 | 44 | 26 “ | 3 | 62 |
| 18¼ “ | 3 | 45 | 26¼ “ | 3 | 63 |
| 18½ “ | 3 | 46 | 26½ “ | 3 | 63 |
| 18¾ “ | 3 | 46 | 26¾ “ | 3 | 64 |
| 19 “ | 3 | 47 | 27 “ | 3 | 65 |
| 19¼ “ | 3 | 47 | 27¼ “ | 2 | 45 |
| 19½ “ | 3 | 48 | 27½ “ | 2 | 45 |
| 19¾ “ | 3 | 48 | 27¾ “ | 2 | 46 |
| 20 “ | 3 | 49 | 28 “ | 2 | 46 |
| 20¼ “ | 3 | 49 | 28¼ “ | 2 | 46 |
| 20½ “ | 3 | 50 | 28½ “ | 2 | 47 |
| 20¾ “ | 3 | 50 | 28¾ “ | 2 | 47 |
| 21 “ | 3 | 51 | 29 “ | 2 | 48 |
| 21¼ “ | 3 | 52 | 29¼ “ | 2 | 48 |
| 21½ “ | 3 | 52 | 29½ “ | 2 | 48 |
| 21¾ “ | 3 | 53 | 29¾ “ | 2 | 49 |
| 22 “ | 3 | 54 | 30 “ | 2 | 49 |
| 22¼ “ | 3 | 54 | 30¼ “ | 2 | 49 |
| 22½ “ | 3 | 55 | 30½ “ | 2 | 50 |
| 22¾ “ | 3 | 55 | 30¾ “ | 2 | 50 |
| 23 “ | 3 | 56 | 31 “ | 2 | 51 |
| 23¼ “ | 3 | 56 | 31¼ “ | 2 | 51 |
| 23½ “ | 3 | 57 | 31½ “ | 2 | 51 |
| 23¾ “ | 3 | 57 | 31¾ “ | 2 | 52 |
| 24 “ | 3 | 58 | 32 “ | 2 | 52 |
| 24¼ “ | 3 | 59 | | | |

NOTE: Above weights and quantities are approximate but may be considered reasonably accurate to estimate weights for Crate Service Cartons.

LIQUOR WARE DIVISION

**WINES
CHAMPAGNES
GINS
WHISKEYS
BRANDIES
CORDIALS
LIQUEURS
BITTERS
MINIATURES**



WITH the return of legal "Spiritus Frumenti," many of the well known old style bottles have been revived. Old familiar shapes again become popular along with newly designed containers more in keeping with modern packaging trends. Dark green glass, light green, amber and flint, as illustrated above, are standard colors.

STANDARD FINISHES
GLASS CONTAINER ASSOCIATION
OWENS-ILLINOIS GLASS COMPANY



No. 75
Brandy
Cork



No. 76
Sauterne
Cork



No. 77
Square Ring
Cork



No. 78
Gin
Cork



No. 79
Champagne
Cork



No. 80
Italian
Vermouth



No. 81
Sweet
Wine



No. 82
Benedictine
Cork



No. 83
Glass St.
Shell Ck.



No. 403
Caseal



No. 1801
Overseal
Goldy



G.C.A. 1100
Kork-N-Seal



G.C.A. 3000
Frankfort



No. 1602
Pilfer Proof
Roll-on



G.C.A. 600
Crown



No. 84
Standard Wine



No. 1604
Comb. Roll-on
Goldy Overseal



No. 1603
Tamper Proof
Roll-on