




PACKER JARS

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-260	6	6 ⁹ / ₁₆	7	4 ⁵ / ₆₄	2 ³ / ₁₆	48-1600	2	13
C-251	11 ⁷ / ₈	12 ⁹ / ₁₆	10	6 ¹ / ₄	2 ⁹ / ₁₆	53-1600	2	17
C-252	18 ⁹ / ₁₆	19 ¹ / ₄	14 ¹ / ₄	7 ³⁹ / ₆₄	3 ²⁷ / ₃₂	53-1600	1	13
C-158	66	67 ¹ / ₂	31	9 ¹³ / ₁₆	4 ¹³ / ₁₆	70-450	1 ¹ / ₂	17




PACKER JARS

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-645	8	8 ⁷ / ₈	7 ⁷ / ₈	5 ¹ / ₄	2 ²⁵ / ₆₄	C-450	2	15
C-576	30 ¹ / ₄	32 ¹ / ₄	17 ¹ / ₂	8 ¹⁵ / ₁₆	3 ³ / ₈	G-450	1	16
C-626	30 ¹ / ₄	32 ¹ / ₄	18	8 ³ / ₃₂	3 ¹⁷ / ₃₂	G-450	1	16
C-590	47 ¹ / ₂	50	24 ⁵ / ₈	6 ²⁵ / ₃₂	4 ⁷ / ₈	I-450	1/2	11



C-346




PACKER JARS

Mold No.	Fluid Oz. Bottom	Oz. Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-346	8 ⁵ / ₁₆	8 ³ / ₄	8 ¹ / ₄	5 ³ / ₃₂	2 ¹³ / ₃₂	53-1550	2	15
C-604	9 ⁷ / ₈	11	11	5 ³¹ / ₃₂	2 ¹⁷ / ₃₂	D-450	2	19
C-440	12 ³ / ₄	14 ³ / ₈	11 ⁵ / ₈	6 ¹ / ₂	2 ²¹ / ₃₂	F-450	2	20
C-284	19	20 ³ / ₄	14	4 ⁹ / ₁₆	3 ⁷ / ₈	80-2000	1	14
C-233	28 ¹ / ₄	30	18	5 ⁷ / ₃₂	4 ¹⁷ / ₆₄	83-1500	1	17



C-772



C-562



C-185




C-464



C-199

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Gross Per Crate	Lbs. Per Crate
C-199	3 ¹ / ₁₆	3 ⁷ / ₁₆	4	2 ⁴⁹ / ₆₄	2 ⁵ / ₆₄	53-100	3	126
C-464	4 ⁷ / ₈	5 ⁵ / ₈	5 ¹ / ₄	3 ⁹ / ₃₂	2 ¹³ / ₃₂	58-400	2	118
C-562	5	6	6 ³ / ₈	3 ⁵ / ₃₂	2 ¹⁷ / ₃₂	63-400	2	118
C-772	5 ¹ / ₄	6 ¹ / ₄	7	3 ¹ / ₁₆	2 ⁵ / ₈	63-400	2	145
C-185	5 ³ / ₄	6 ³ / ₈	7	3 ¹⁵ / ₆₄	2 ³⁷ / ₆₄	63-400	2	145

CHEESE JARS




C-608



**TALL PACKER
JARS
HONEY**


Mold No.	Fluid Oz. Capacity Bottom Fin.—Overflow	Weight in Ozs.	Height in Inches	Width in Inches	Thick. in Inches	Finish	Gross Per Carton	Lbs. Per Carton	
C-606	2	2 ¹ / ₄	3 ³ / ₁₆	2 ²⁹ / ₃₂	2	1 ¹ / ₂	38-150	4	11
C-607	3 ¹ / ₂	3 ¹³ / ₁₆	4 ⁷ / ₈	4 ¹ / ₁₆	1 ⁵ / ₆₄ Diam.	43-150	2	9	
C-608	5 ⁷ / ₁₆	5 ³ / ₄	6 ¹¹ / ₁₆	5 ²⁷ / ₆₄	1 ¹⁵ / ₁₆	43-150	2	11	
C-609	9 ⁵ / ₈	10 ¹ / ₈	10 ¹ / ₄	7	2 ³ / ₁₆	51-100	2	9	
C-748	11	11 ⁵ / ₈	10 ³ / ₄	7 ³ / ₃₂	2 ¹¹ / ₃₂	53-400	2	10	
C-610	21 ³ / ₄	22 ³ / ₄	16 ¹¹ / ₁₆	8 ¹ / ₃₂	3	63-100	1	16	



C-763

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozen Per Carton	Lbs Per Carton
C-793	2	2 $\frac{1}{4}$	4	4 $\frac{1}{4}$	1 $\frac{21}{32}$	38-400	2	8
C-1157	2 $\frac{1}{4}$	2 $\frac{1}{2}$	4 $\frac{23}{64}$	4 $\frac{7}{16}$	1 $\frac{43}{64}$	36-2500	2	8
C-301	2 $\frac{1}{8}$	2 $\frac{3}{8}$	4 $\frac{1}{4}$	4 $\frac{5}{16}$	1 $\frac{11}{16}$	36-1000	2	8 $\frac{1}{2}$
C-358	2 $\frac{1}{2}$	2 $\frac{3}{4}$	4 $\frac{1}{2}$	4 $\frac{7}{16}$	1 $\frac{27}{32}$	38-400	2	8 $\frac{1}{2}$
C-763	2 $\frac{7}{16}$	2 $\frac{5}{8}$	4	4 $\frac{13}{64}$	1 $\frac{13}{16}$	38-1400	2	8 $\frac{1}{2}$
C-357	4 $\frac{1}{4}$	4 $\frac{7}{16}$	5 $\frac{3}{4}$	5 $\frac{15}{32}$	2 $\frac{1}{16}$	33-1400	2	12
C-356	7 $\frac{5}{16}$	7 $\frac{3}{4}$	7	5 $\frac{3}{4}$	2 $\frac{11}{32}$	48-1400	2	15
C-355	13 $\frac{3}{16}$	13 $\frac{3}{4}$	13	8 $\frac{1}{32}$	2 $\frac{23}{32}$	58-1400	1	12
C-354	25 $\frac{3}{8}$	26	19	10 $\frac{1}{32}$	3 $\frac{5}{16}$	58-2000	1	20

CHERRY BOTTLES




C-333



CYLINDER OLIVES

Mold No.	Fluid Oz. Capacity Bottom Finish	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozen Per Carton	Lbs. Per Carton
C-333	3 $\frac{3}{4}$	6 $\frac{1}{4}$	6 $\frac{11}{32}$	1 $\frac{3}{4}$	#14 Short Ck.	2	12
C-682	4	6 $\frac{3}{8}$	6 $\frac{3}{16}$	1 $\frac{9}{32}$	#14 Short Ck.	2	12
C-758	4 $\frac{3}{4}$	8	6 $\frac{27}{32}$	1 $\frac{15}{16}$	#14 Short Ck.	2	14
C-761	6 $\frac{1}{2}$	9 $\frac{1}{2}$	7 $\frac{5}{16}$	2 $\frac{5}{64}$	#15 Short Ck.	2	19
C-350	7	10	7 $\frac{15}{16}$	2	#15 Short Ck.	2	19
C-680	10 $\frac{1}{8}$	11 $\frac{1}{8}$	9 $\frac{3}{64}$	2 $\frac{1}{8}$	#19 Short Ck.	2	24
C-352	11	13 $\frac{3}{4}$	9 $\frac{3}{32}$	2 $\frac{9}{32}$	#18 Short Ck.	2	24
C-631	11 $\frac{3}{4}$	14 $\frac{7}{8}$	9 $\frac{9}{16}$	2 $\frac{9}{32}$	#19 Short Ck.	2	25
C-353	11 $\frac{3}{4}$	14 $\frac{3}{4}$	9 $\frac{19}{32}$	2 $\frac{9}{32}$	#18 Short Ck.	2	25




C-146

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-376	3 ⁹ / ₁₆	3 ³ / ₄	4 ³ / ₄	5	1 ¹¹ / ₁₆	38-150	2	8 ¹ / ₂
C-146	4 ¹ / ₁₆	4 ³ / ₈	5 ¹ / ₂	5 ⁷ / ₁₆	1 ¹¹ / ₁₆	43-150	2	9 ¹ / ₂
C-31	9 ⁵ / ₁₆	9 ⁵ / ₈	9	7 ³¹ / ₆₄	2 ³ / ₆₄	48-1550	2	16
C-382	10 ³ / ₈	10 ¹³ / ₁₆	9	6 ⁵ / ₁₆	2 ¹¹ / ₃₂	53-1550	2	16
C-383	14 ¹ / ₄	14 ³ / ₄	10 ³ / ₄	7 ¹ / ₄	2 ¹ / ₂	58-1550	2	20

**TALL
PACKER JARS
OLIVES**




C-406



LIGHTNING JARS


Mold No.	Fluid Oz.	Capacity Glass Eyelet or Neck Wire—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Gross Per Crate	Lbs. Per Crate
C-406	8 $\frac{1}{4}$	9 $\frac{1}{4}$	9	5 $\frac{1}{32}$	2 $\frac{19}{32}$	Lightning Seal	1 $\frac{1}{2}$	153
C-764	13	16	14 $\frac{1}{2}$	5 $\frac{19}{64}$	3 $\frac{7}{32}$	"	1	160
C-212	15 $\frac{3}{4}$	18 $\frac{1}{2}$	14 $\frac{1}{2}$	5 $\frac{19}{64}$	3 $\frac{29}{64}$	"	1	160
C-397	62	65 $\frac{3}{4}$	32 $\frac{1}{2}$	9 $\frac{31}{64}$	4 $\frac{47}{64}$	"	$\frac{1}{3}$	105
C-29	63	66	28	10 $\frac{5}{16}$	4 $\frac{1}{2}$	"	$\frac{1}{4}$	84
C-723	63 $\frac{1}{4}$	66	28	9 $\frac{13}{32}$	4 $\frac{23}{32}$	"	$\frac{1}{4}$	84
C-30	64	67 $\frac{1}{4}$	28	9 $\frac{7}{16}$	4 $\frac{11}{16}$	"	$\frac{1}{4}$	84
C-225	64 $\frac{1}{2}$	66 $\frac{3}{4}$	31	10 $\frac{5}{16}$	4 $\frac{9}{16}$	"	$\frac{1}{3}$	140
C-226	129 $\frac{3}{4}$	132 $\frac{1}{2}$	54	11 $\frac{9}{32}$	6 $\frac{1}{8}$	"	$\frac{1}{6}$	112



C-799

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-794	13 $\frac{1}{4}$	15	11	5 $\frac{1}{32}$	3 $\frac{9}{32}$	G-450	2	18
C-831	14 $\frac{1}{2}$	15 $\frac{3}{8}$	10 $\frac{3}{4}$	4 $\frac{31}{32}$	3 $\frac{3}{8}$	63-400	2	19
C-799	16	18	12 $\frac{1}{2}$	5 $\frac{3}{4}$	3 $\frac{11}{64}$	G-450	2	22
C-795	28 $\frac{1}{4}$	30	19	6 $\frac{19}{32}$	4 $\frac{3}{32}$	G-450	1	15
C-777	30	32	17	6 $\frac{19}{32}$	4 $\frac{5}{16}$	G-450	1	16
C-499	32	34	23	7 $\frac{11}{32}$	4 $\frac{5}{64}$	G-450	1	18
C-806	125 $\frac{1}{4}$	129 $\frac{1}{4}$	58	11	6 $\frac{5}{16}$	J-450	$\frac{1}{3}$	31 $\frac{1}{2}$

BARREL PACKERS



**COFFEE &
PANTRY JARS**




Mold No.	Fluid Oz. Bottom	Oz. Capacity Fin.—Overflow	Weight in Ozs.	Filling Point fr. Base	Diameter in Inches	Finish	Gross Per Crate	Lbs. Per Crate
C-303	13	15	11	4 ²³ / ₃₂	2 ⁵⁷ / ₆₄	G-450	1	124
C-599	30	32	17 ³ / ₄	Overflow	3 ⁷ / ₁₆	G-450	½	99
C-568	37 ¹ / ₂	39 ¹ / ₂	20	7	4 ¹ / ₁₆	G-450	½	115



C-1011
C-1012


Mold No.	Fluid Oz. Bottom	Oz. Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-790	6 ⁷ / ₈	7 ¹ / ₂	9	4 ¹ / ₂	2 ⁵ / ₁₆	53-400	3	23
C-1011	14	15 ¹ / ₂	11	4 ²⁹ / ₃₂	3	G-450	1	11
C-1007	28 ¹ / ₈	30 ³ / ₈	19	6 ³¹ / ₃₂	3 ⁷ / ₁₆	G-450	1	18
C-1012	28 ¹ / ₄	30 ¹ / ₂	18 ¹ / ₂	6 ³¹ / ₃₂	3 ¹ / ₂	G-450	1	18
C-569	38	40	20	7 ³ / ₄	3 ²¹ / ₃₂	G-450	1	23
C-722	44	46	22 ¹ / ₂	8 ¹⁹ / ₃₂	4 ¹ / ₄	G-450	1/2	25

COFFEE & PANTRY JARS




CANDY JARS


Mold No.	Fluid Oz. Bottom	Oz. Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-484	7 ³ / ₈	7 ⁷ / ₈	7 ⁷ / ₈	4 ¹⁵ / ₁₆	2 ³³ / ₆₄	48-400	2	14
C-986	8	9	9	4 ¹⁵ / ₁₆	2 ¹ / ₂	63-400	2	16 ¹ / ₂
C-760	8 ³ / ₄	9 ⁷ / ₁₆	8 ³ / ₄	5 ¹ / ₄	2 ²³ / ₆₄	53-1600	2	16
C-787	18 ¹ / ₂	19 ¹ / ₈	14 ¹ / ₂	7 ³⁹ / ₆₄	2 ¹³ / ₁₆	53-400	1	13




C-654



C-786



C-538



C-731


Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Crate	Lbs. Per Crate
C-654	2 ³ / ₈	2 ¹ / ₂	3 ¹ / ₂	3 ¹⁷ / ₃₂	1 ²¹ / ₃₂	40-2300	3	126
C-731	6 ⁷ / ₈	7 ⁹ / ₁₆	7 ¹ / ₂	5 ³ / ₈	2 ⁷ / ₆₄	X-1300	1 ¹ / ₂	135
C-786	11 ³ / ₄	12 ¹ / ₂	10	6 ¹ / ₄	2 ¹⁷ / ₃₂	53-1600	1	111
C-538	12	12 ¹¹ / ₁₆	10 ¹ / ₂	6 ¹ / ₁₆	2 ¹¹ / ₁₆	65-2300	1	125

CANDY JARS



**SQUARE
PACKER JARS**

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-719	13 ³ / ₈	15	11	5 ³ / ₈	2 ²⁷ / ₃₂	F-450	2	20
C-601	13 ¹ / ₂	15 ¹ / ₂	11 ¹ / ₄	5 ⁵ / ₁₆	2 ⁵ / ₈	G-450	2	19
C-718	28	30	17 ¹ / ₂	6 ⁷ / ₈	3 ¹⁵ / ₃₂	G-450	1	16
C-770	29	31	18	6 ²⁷ / ₃₂	3 ³⁹ / ₆₄	G-450	1	17
C-249	30 ¹ / ₂	32 ⁷ / ₁₆	18	6 ¹⁵ / ₁₆	3 ⁵ / ₈	G-450	1	17
C-588	32	34	18 ³ / ₄	8 ³ / ₄	3 ⁹ / ₃₂	G-450	1	18



C-555

Mold No.	Fluid Oz. Capacity Bottom Fin.—Overflow	Weight in Ozs.	Height in Inches	⊘ Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-1016	22 ³ / ₃₂	3 ⁵ / ₁₆	4 ¹ / ₄	3 ¹ / ₃₂	1 ⁶³ / ₆₄	48-2000	3 13
C-693	2 ³ / ₄	3 ³ / ₈	4	3	2	48-400	3 13
C-234	2 ⁷ / ₈	3 ³ / ₈	4 ¹ / ₈	3 ¹ / ₈	1 ⁶³ / ₆₄	48-100	3 13
C-175	3 ³ / ₁₆	3 ⁵ / ₈	4 ¹ / ₂	3 ²¹ / ₆₄	2 ¹ / ₃₂	48-400	3 14
C-258	3 ¹ / ₄	3 ¹³ / ₁₆	4 ¹ / ₄	3 ¹¹ / ₆₄	2 ¹ / ₃₂	48-400	3 14
C-5	3 ¹ / ₂	3 ¹⁵ / ₁₆	4	3 ⁷ / ₁₆	3	48-100	3 14
C-874	7 ¹ / ₄	8 ¹ / ₄	6 ¹ / ₁₆	4	2 ³⁹ / ₆₄	63-400	1 6 ¹ / ₂
C-952	7 ¹ / ₄	8 ¹ / ₄	7 ¹ / ₄	4	2 ³⁷ / ₆₄	63-400	2 14
C-1074	7 ¹ / ₂	8 ³⁹ / ₆₄	8	4 ¹ / ₈	2 ⁵ / ₈	63-100	1 7 ¹ / ₂
C-176	8 ⁵ / ₈	9 ¹³ / ₁₆	8 ³ / ₈	4 ¹ / ₄	2 ⁴⁷ / ₆₄	63-400	2 18
C-555	11 ³ / ₈	12 ³ / ₈	9 ⁷ / ₈	5 ¹ / ₈	2 ³ / ₄	63-400	2 20
C-742	15 ⁷ / ₁₆	16 ⁷ / ₈	12	5 ¹ / ₁₆	3 ¹ / ₄	70-100	2 23
C-237	125	130	53	10 ¹ / ₈	9 ¹¹ / ₃₂	J-450	1 47


MAYONNAISE JARS



C-153
C-827




C-86




C-697

PICKLES
RELISH


Mold No.	Fluid Oz. Capacity		Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
	Bottom	Fin.—Overflow						
C-827	5 $\frac{1}{4}$	5 $\frac{3}{4}$	6 $\frac{1}{2}$	4 $\frac{39}{64}$	4 $\frac{3}{32}$	48-1600	2	12 $\frac{1}{2}$
C-153	15 $\frac{3}{4}$	17 $\frac{3}{4}$	13	6 $\frac{13}{16}$	2 $\frac{27}{32}$	G-450	2	23
C-697	30 $\frac{5}{8}$	31 $\frac{3}{8}$	20 $\frac{1}{2}$	7 $\frac{9}{32}$	3 $\frac{7}{8}$	66-1500	1	20
C-86	40 $\frac{3}{16}$	40 $\frac{3}{4}$	27	7 $\frac{29}{32}$	4 $\frac{11}{32}$	63-1500	1	26




C-447



C-289
C-152
C-366




C-685



C-756



Mold No.	Fluid Oz. Bottom	Fluid Oz. Cap. Overflow	Weight in Ozs.	Height in Inches	Width in Inches	Thick. in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-366	6 $\frac{1}{4}$	6 $\frac{11}{16}$	8	6 $\frac{21}{64}$	2 $\frac{1}{8}$	1 $\frac{3}{4}$	48-100	2	14
C-289	6 $\frac{1}{2}$	7	8	6 $\frac{5}{16}$	2 $\frac{13}{32}$	1 $\frac{47}{64}$	48-400	2	14
C-152	7 $\frac{1}{16}$	7 $\frac{9}{16}$	9	6 $\frac{7}{64}$	1 $\frac{13}{16}$	2 $\frac{11}{32}$	48-1400	2	16
C-756	8	8 $\frac{7}{16}$	12	7 $\frac{7}{8}$	2 $\frac{13}{32}$	1 $\frac{13}{16}$	48-100	2	21
C-685	16 $\frac{7}{8}$	17	14 $\frac{5}{8}$	8 $\frac{9}{64}$	2 $\frac{19}{64}$ Diam.		63-1800	2	24
C-447	31 $\frac{7}{8}$	32 $\frac{5}{8}$	17 $\frac{1}{2}$	7 $\frac{5}{16}$	3 $\frac{23}{32}$ Diam.		66-1550	1	16

**PICKLES
RELISH**




**RELISH
CHOW**

Mold No.	Fluid Oz.	Capacity Bottom Fin.—Overflow	Weight in Ozs.	Height in Inches	Width in Inches	Thick. in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-87	6 ⁵ / ₈	7 ¹ / ₈	7 ³ / ₄	4 ³ / ₃₂	2 ¹ / ₄ Diam.		58-1400	2	14
C-433	8 ⁹ / ₁₆	8 ⁷ / ₈	12 ¹ / ₄	7 ⁵ / ₃₂	2 ¹⁵ / ₃₂	1 ⁷ / ₈	43-150	2	21
C-82	9 ³ / ₄	10 ¹ / ₂	11 ¹ / ₂	5 ¹ / ₈	2 ²⁹ / ₆₄ Diam.		63-1400	2	19
C-573	10 ¹ / ₄	11 ¹ / ₈	9	5 ¹⁹ / ₃₂	2 ¹⁵ / ₃₂ Diam.		C-450	2	16
C-235	11 ¹ / ₄	12 ⁷ / ₈	10 ¹ / ₂	5 ⁵ / ₃₂	2 ¹⁵ / ₃₂ Diam.		66-100	2	19
C-193	11 ⁹ / ₁₆	12 ⁷ / ₁₆	11	5 ³¹ / ₃₂	2 ⁷ / ₁₆ Diam.		58-100	2	19
C-81	20	20 ³ / ₄	16 ¹ / ₂	6 ¹ / ₁₆	3 ¹ / ₁₆ Diam.		63-1400	1	14




Mold No.	Fluid Cap. Oz. Bottom Fin.—Overflow	Weight in Ozs.	Height in Inches	Width in Inches	Thick. in Inches	Finish	Dozens Per Carton	Lbs. Per Carton	
C-669	7½	8	8½	6 ²³ / ₃₂	2¾	1 ¹³ / ₁₆	43-100	2	16
C-691	8¾	9½	12¼	7¼	2⅛ Diam.		43-400	2	20
C-458	9	9 ⁹ / ₁₆	12	6 ⁴¹ / ₆₄	2 ⁷ / ₈	2 ¹⁷ / ₆₄	58-1500	2	19
C-696	16 ³ / ₁₆	16 ¹¹ / ₁₆	13	7 ¹¹ / ₃₂	2 ¹¹ / ₁₆ Diam.		58-1500	1	12
C-370	20½	21½	14½	7	3 ¹ / ₁₆ Diam.		63-1500	1	14

**PICKLES
HORSE RADISH
CHOW**



HORSE RADISH

Mold No.	Fluid Oz. Bottom	Oz. Cap. Fin.—Overflow	Weight in Ozs.	Height in Inches	Width in Inches	Thick. in Inches	Finish	Gross Per Crate	Lbs. Per Crate
C-16	4 ¹⁵ / ₁₆	5 ¹ / ₄	8	6 ²⁵ / ₆₄	2 ³ / ₁₆	1 ⁴⁵ / ₆₄	43-150	1	94
C-744	5	5 ¹ / ₄	7 ¹ / ₂	6 ³ / ₆₄	1 ⁴⁷ / ₆₄	Diam.	43-150	1	90
C-780	5	5 ³ / ₈	7 ¹ / ₂	5 ⁷ / ₈	2	1 ¹⁹ / ₃₂	43-150	1	90
C-430	5 ¹ / ₂	5 ¹⁵ / ₁₆	7 ⁵ / ₈	5 ²⁷ / ₃₂	1 ²⁵ / ₃₂	Diam.	36-1000	1	90
C-271	5 ¹ / ₂	6	6 ³ / ₄	5 ³ / ₈	2 ⁷ / ₃₂	2 ³ / ₃₂	48-400	1	80
C-19	6 ¹ / ₁₆	6 ⁷ / ₁₆	8	5 ⁹ / ₁₆	2 ³ / ₈	1 ²⁷ / ₃₂	43-400	1	94
C-230	6 ³ / ₈	6 ³ / ₄	8 ¹ / ₄	6 ¹⁷ / ₃₂	1 ¹³ / ₁₆	Diam.	43-150	1	95
C-17	6 ³ / ₈	6 ³ / ₄	8	6 ⁵ / ₃₂	2 ⁵ / ₃₂	1 ²¹ / ₃₂	43-400	1	94
C-178	7	7 ³ / ₄	8 ³ / ₄	6 ¹ / ₂	2 ⁵ / ₁₆	1 ⁷ / ₈	48-400	1	99




C-625



C-757




C-213



C-348

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Finish	Weight in Ozs.	Height in Inches	Width in Inches	Thick. in Inches	Dozens Per Carton	Lbs. Per Carton
C-757 (Stock)	4	$4\frac{3}{8}$	48-100	6	$4\frac{21}{32}$	$1\frac{15}{16}$ Diam.		3	14
	4	$4\frac{5}{8}$	48-400						
C-213	$4\frac{3}{4}$	$5\frac{1}{4}$	43-400	$7\frac{3}{4}$	$5\frac{11}{32}$	$2\frac{15}{64}$	$1\frac{11}{16}$	3	19
C-625	$5\frac{7}{16}$	$5\frac{7}{8}$	45-400	$8\frac{7}{8}$	$6\frac{7}{32}$	$2\frac{5}{16}$	$1\frac{23}{32}$	3	21
C-348	$5\frac{5}{8}$	6	43-400	$8\frac{1}{2}$	$6\frac{5}{64}$	$2\frac{1}{4}$ Diam.		3	21

HORSE RADISH



C-622



C-921



C-109



C-34
C-904




C-613

MUSTARD


Mold No.	Fluid Oz. Capacity Bottom Fin.—Overflow	Weight in Ozs.	Height in Inches	Width in Inches	Thick. in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-392	3½	3⅞	5⅜	2	Diam.	48-100	3	15
C-622	5¼	5⅞	6⅞	2¾	2⅛	53-400	3	19
C-921	6½	7¼	7½	2⅝	Diam.	53-400	2	16
C-109	7⅝	8	7¾	2⅜	Diam.	58-400	2	16
C-34	8	8⅝	8	2⅜	Diam.	53-400	2	17
C-904	8	9⅝	8	2⅜	Diam.	63-400	2	17
C-613	8⅜	9	8¼	2⅝	Diam.	53-400	2	17




C-290




C-534



C-502
C-236



C-432



C-803




C-304




C-210

Mold No.	Fluid Oz. Cap.		Weight in Ozs.	Height in Inches	Width in Inches	Thick. in Inches	Finish	Gross Per Crate	Lbs. Per Crate
	Bottom Fin.—Overflow								
C-290	3 ⁵ / ₈	4 ¹ / ₈	5	3 ²⁵ / ₃₂	2 ³ / ₈	1 ⁵¹ / ₆₄	48-400	2	110
C-432	4¹¹/₁₆	5	6	4⁹/₁₆	2¹³/₃₂	1⁷/₈	43-150	2	132
C-304	5 ¹ / ₄	5 ⁷ / ₈	7 ¹ / ₂	4 ¹ / ₄	3 ¹ / ₈	1 ¹³ / ₁₆	53-400	1 ¹ / ₂	134
C-502	5 ¹ / ₂	6	6 ³ / ₄	4 ⁹ / ₃₂		2 ⁹ / ₁₆ Diam.	48-400	2	144
C-236	5¹/₂	6	6	4⁵/₁₆		2⁹/₁₆ Diam.	48-400	2	130
C-210	6 ¹ / ₈	6 ⁹ / ₁₆	7	5 ³ / ₁₆		2 ¹⁵ / ₆₄ Diam.	48-400	2	160
C-803	8	8 ⁵ / ₈	8	4 ³ / ₈		2 ⁷ / ₈ Diam.	53-400	1 ¹ / ₂	138
C-534	8³/₈	8¹³/₁₆	7¹/₂	4²⁷/₃₂		2¹⁹/₃₂ Diam.	48-400	1	90


MUSTARD



C-701



C-379



C-798



C-781



C-702

MUSTARD PICKLE

Mold No.	Fluid Oz. Bottom Fin.	Capacity Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Gross Per Crate	Lbs. Per Crate
C-781	2 ⁵ / ₈	3 ¹ / ₈	5 ¹ / ₂	3 ¹⁵ / ₁₆	2	48-400	2	120
C-701	7	7 ⁵ / ₈	8 ¹ / ₂	5 ³ / ₄	2 ¹ / ₄	53-400	1 ¹ / ₂	134
C-379	8 ⁹ / ₁₆	9 ¹ / ₈	9	5 ²⁷ / ₃₂	2 ¹ / ₂	53-400	1	106
C-702	9 ¹ / ₄	11 ¹ / ₄	10 ¹ / ₄	5 ³ / ₁₆	3 ⁷ / ₃₂	Special Screw Cap	1	120
C-798	9 ³ / ₈	10 ¹ / ₂	10	5 ³ / ₃₂	2 ⁷ / ₁₆	D-450	1	120