

A-274



B-4



A-273

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
B-4	2-1/2 DR.	2-5/16	1	2-21/32	3/4 DIAM.		20-400
A-273	1	1-11/16	1-7/8	2-3/8	1-11/32 "		33-400
A-274	2	2-5/16	2-3/4	3-3/8	1-1/2	1-1/2	33-400

SQUARE TABLET





A-271



A-1016
A-2025
A-5523



A-1653
A-4627



A-4622



A-4328
A-4327
A-4326




A-319
A-1002
A-4625

MISCELLANEOUS
OVAL TABLET



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-4326	1/4	1-3/8	7/8	2-15/64	1-5/16	19/32	13-425
A-4327	5/16	1-15/32	1	2-11/32	1-27/64	41/64	13-425
A-4627	5/16	1-3/4	1-1/16	2-9/32	1-9/32	23/32	20-400
A-1653	3 DR.	1-3/4	1	2-15/64	1-5/16	51/64	20-400
A-4328	1/2	1-3/4	1-3/8	2-45/64	1-5/8	43/64	15-425
A-271	1/2	BASE OF NECK	1	2-1/8	1-14/16	11/16	20-400
A-1016	7 DR.	1-5/8	1-3/8	2-13/32	1-9/16	1-1/8	28-400
A-5523	1-3/16	2	1-3/4	2-13/16	1-43/64	1-1/8	28-400
A-4622	1-3/8	2-3/4	1-3/4	3-15/32	1-27/32	61/64	20-400
A-4625	1-3/8	2-3/4	3-5/8	3-45/64	1-27/32	1-3/32	24-400
A-2025	2	BASE OF NECK	3-3/4	3-9/32	2-7/32	1-3/8	33-150
A-1002	2	2-5/8	2-5/8	3-17/32	1-7/8	1-5/16	30-400
A-319	2-1/4	2-21/32	3-1/16	3-5/8	1-31/32	1-1/4	24-400



A-558



A-3772



A-1040
A-1014
A-1764
A-1992



A-4791



A-318



A-1064
A-868

MOLD No.	FLUID OUNCE CAP.	WEIGHT IN OUNCES	FILLING POINT FR. BASE	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-3772	1/3	1-3/8	BASE OF NECK	2-13/32	1-15/32	13/16	SP. SC. CAP
A-4791	3/8	1	1-1/2	2-3/32	1-1/4	27/32	22-400
A-558	3-1/2 DR.	1	1-1/2	2-21/64	1-35/64	13/32	18-400
A-1014	1/2	1-1/16	1-9/16	2-5/16	1-29/32	3/4	SP. SC. CAP
A-318	1/2	1-1/8	1-31/32	2-17/32	3/4	1-9/16	20-400
A-1040	4-1/2 DR.	1	1-9/16	2-9/32	1-53/64	3/4	20-400
A-1992	4-1/2 DR.	1	1-3/4	2-5/32	1-27/32	27/32	SP. SC. CAP
A-1764	5 DR.	1-1/16	BASE OF NECK	2-9/32	1-13/16	25/32	SP. SC. CAP
A-1064	2	2-5/8	"	3-11/32	2-1/8	1-3/32	28-400
A-868	2	2-3/4	"	3-11/32	2-7/64	1-5/64	SP. SC. CAP

TABLET FLASKS





A-2537



A-886



A-3784



A-1034
A-272
A-1439
A-1590



A-3061

TABLET FLASKS



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-886	2-1/2 DR.	BASE OF NECK	3/4	2-5/32	1-1/4	3/4	SP. SC. CAP
A-2537	1/2	1-5/8	1-5/8	2-9/16	1-3/8	15/16	22-400
A-1439	4-1/2 DR.	2	1-1/8	2-1/2	1-17/32	11/16	20-400
A-272	5 DR.	1-15/16	1	2-45/64	1-17/32	25/32	20-400
A-3061	6 DR.	1-15/16	1-9/16	2-9/16	1-15/32	15/16	22-400
A-1590	3/4	2-1/8	1-1/2	2-41/64	1-43/64	15/16	22-400
A-3784	1	2-1/32	1-1/2	3-1/32	1-23/32	15/16	#4 CORK
A-1034	1-1/2	2-5/8	1-3/4	3-5/32	1-15/16	1-1/8	24-400



B-11



B-6



B-8



B-10



B-9

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
B-6	2	1-13/16	2-3/4	2-23/32	1-15/16	38-150 8-1300
B-8	4	BASE OF NECK	4-1/4	3-1/2	2-3/16	C-1300 43-150
B-9	8	"	8-1/4	4-13/16	2-9/16	C-1300 48-100
B-10	16	"	13	6-1/16	3-3/16	D-1300 53-100
B-11	32	"	21	7-33/64	4	D-1300 53-100

WIDE MOUTH
ROUNDS OR
PAINT JARS






WIDE MOUTH
ROUNDS OR
PAINT JARS




PAGE PP 68

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
B-300	1	1-9/16	2-3/16	2-5/16	1-5/8	33-400
B-17	2	BASE OF NECK	3-1/2	2-5/8	2	38-150
B-12	2	2-1/16	4-3/16	2-7/8	2-1/64	38-400 38-150
B-18	4	BASE OF NECK	5	3-11/32	2-11/32	48-100 38-150
B-13	4	2-7/16	5	3-9/16	2-11/32	48-400 48-100
B-681	8	3-15/16	7	4-9/32	2-9/16	53-140
B-233	8	BASE OF NECK	8	3-1/2	2-29/32	70-400 70-100
B-321	16	4-13/16	12	5-5/64	3-1/4	SP. SC. CAP 53-100
B-20	16	BASE OF NECK	16	5-9/16	3-7/32	63-100
B-163	32	5-1/2	19	6-3/8	4-3/32	63-100
B-21	32	BASE OF NECK	21-1/2	6-27/32	4-3/16	63-100
B-16	32	6-1/4	22	7-9/16	3-15/16	D-1300 58-100




A-5193
A-5194



B-325



A-1037
A-1557



A-3040

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
B-325	2	3-3/32	2-3/4	3-21/32	1-7/16	SP. SC. CAP
A-3040	2-1/8	3-3/8	4	4	1-1/2	38-400
A-1037	2-1/4	2-1/4	3-3/8	3-3/16	1-25/32	43-400 43-150
A-5193	5-3/8	4-17/64	6-1/2	4-29/32	2-1/16	48-400
A-1557	7-1/4	OVERFLOW	6-5/8	4-9/32	2-11/32	53-100
A-5194	10-3/8	5-39/64	10-1/4	6-1/4	2-13/32	58-400

MISCELLANEOUS
WIDE MOUTH
ROUNDS






A-2542
A-2543
A-2180
A-1746



A-2464
A-2724



A-133
A-4068
A-132
A-134

CASTER OILS
FLASKS



PAGE PP 70

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-2180	1	3-1/8	3-1/2	4-5/64	2-3/64	53/64	#3 CORK
A-2724	1-1/8	2-7/8	2-1/2	3-15/16	2-1/32	13/16	18-400 #2 CORK
A-132	1-1/2	4	5	5-15/32	2-17/32	49/64	#4 CORK
A-133	2	3-15/16	5	7-21/32	2-35/64	57/64	#4 CORK
A-1746	2	3-19/32	4-1/2	4-47/64	2-3/8	61/64	22-400
A-2542	2	3-9/16	4-7/8	5-7/32	2-9/16	15/16	22-400
A-134	3	4-11/32	5	5-15/16	2-45/64	63/64	#4 CORK
A-2464	3	4-1/8	5-1/4	5-5/16	2-49/64	15/16	22-400
A-4068	3-3/4	4	1-1/2	5-15/32	2-17/64	23/32	#3 CORK
A-2543	4	4-7/16	6-3/4	6	3-5/64	1-3/64	24-400



A-1211
A-2603



A-147
A-144
A-143
A-148



A-1558
A-142
A-145
A-146



A-137
A-138
A-139



A-3080


MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-142	1-1/2	BASE OF NECK	3	5-5/8	1-37/64	15/16	#2 CORK
A-143	1-1/2	"	3	6-1/4	1-35/64	1	#2 CORK
A-144	2	"	3-1/2	6-5/8	1-23/32	1	#3 CORK
A-3080	2	4-7/16	4-9/16	6-5/16	2	15/16	#4 CORK
A-145	2	BASE OF NECK	3-3/8	7-1/16	1-23/32	1-5/64	#3 CORK
A-146	2-1/2	"	4-3/4	7-3/32	1-7/8	1-5/32	#4 CORK
A-137	2-1/2	"	3-1/4	5-51/64	1-1/2 DIAM.		#3 CORK
A-1558	2-1/2	"	5	7	1-1/8	1-7/8	#3 CORK
A-138	3	3-7/8	4	6-11/32	1-5/8 DIAM.		#3 CORK
A-147	3	BASE OF NECK	4-3/4	7-9/64	1-61/64	1-5/32	#4 CORK
A-148	4	"	5-7/8	7-59/64	2-1/16	1-27/64	#4 CORK
A-139	4	4-3/16	5-1/2	7-1/4	1-25/32 DIAM.		#4 CORK
A-1211	5	5-3/16	7	7-7/16	2-9/16	1-1/2	#4 CORK
A-2603	10	5-3/4	10-1/2	8-1/32	2-31/32	1-25/32	#6 CORK

CASTER OIL
OVALS
ROUNDS





A-1782



A-6033



A-82



A-83




A-3012
A-3876

CITRATE
OF
MAGNESIA



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	DIAMETER IN INCHES	FINISH
A-83	11-1/2	5-13/16	12-1/2	7-3/4	2-11/16	#1-1000 #1-600
A-3876	11-1/2	5-1/8	12-5/8	7-11/16	2-23/32	#1-1000
A-3012	12	5-1/4	12-1/2	7-7/8	2-11/16	#1-1000
A-82	12	5-1/2	12-1/2	7-29/32	2-21/32	#1-1000 30-400 PORC. STOPPERS
A-6033	12-5/8	5-11/64	11	6-15/16	2-47/64	26-600
A-1782	16	6-1/4	14-1/2	7-31/32	2-15/16	PORC. STOPPER



A-5060
A-5061



A-429
A-5471



A-5207
A-3054
A-3055
A-3056
A-3057
A-3058

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-5471	3/4	2-37/64	2-3/8	3-3/4	1-19/32	29/32	18-400
A-3054	1	2-5/8	3-1/16	3-13/16	1-27/32	1-3/64	#1 CORK
A-3055	2	3-3/8	4	4-17/32	2-3/32	1-1/4	#3 CORK
A-5060	2	4-23/64	4-3/8	5-23/32	1-29/32	15/16	22-400
A-3056	3	4	5-3/4	5-5/16	2-1/4	1-3/8	#4 CORK
A-429	3	BASE OF NECK	5-1/2	4-13/16	2-22/64	1-15/32	#4 CORK
A-3057	4	4-13/16	6-9/16	6-5/64	2-21/64	1-1/2	#4 CORK
A-5061	4	5-17/64	6-7/8	6-49/64	2-3/8	1-3/32	24-400
A-3058	6	5-1/2	7-1/8	6-31/32	2-1/2	1-3/8	#4 CORK
A-5207	8	6	11-1/2	7-1/2	2-27/32	1-27/32	24-400

TAPER PANELS
IMPERIAL PANELS





ARGYLE PANELS
ALL NECK PANELS



PAGE PP 74


MOLD No.		CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-815	(4/4)	3-1/2 DR.	BASE OF NECK	2-11/16	4-1/4	1-7/16	5/8	#1 CORK
A-386	(2/4)	1/2 oz.	3-7/16	3-1/2	5-6/64	1-15/32	45/64	#3 CORK
A-387	(4/4)	5 DR.	3-15/32	3-3/4	5-1/16	1-9/16	3/4	#2 CORK
A-389	(1/4)	6 DR.	3-15/16	3-7/8	5-3/8	1-1/2	47/64	#2 CORK
A-405	(4/4)	6 DR.	3-7/32	3	4-21/32	1-31/64	49/64	#2 CORK
A-375	(2/4)	3/4 oz.	4-1/4	3-1/4	5-5/16	1-17/32	23-32	#3 CORK
A-376	(2/4)	3/4 oz.	3-15/16	4-1/8	5-33/64	1-9/16	13/16	20-400 #3 CORK
A-388	(4/4)	3/4 oz.	3-27/32	4-1/4	5-5/16	1-1/2	47/64	#3 CORK
A-378	(2/4)	1	3-3/4	3-3/4	5-3/8	1-5/8	13/16	#2 CORK
A-391	(4/4)	1	3-3/4	4	5-9/16	1-9/16	25/32	20-400 #3 CORK

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-406	(4/4) 1	BASE OF NECK	3-1/2	5	1-11/16	25/32	#3 CORK
A-379	(2/4) 1-1/4	4-3/16	5	5-25/32	1-49/64	7/8	#3 CORK
A-392	(4/4) 1-1/4	3-13/16	4	5-17/32	1-7/16	7/8	#3 CORK
A-1270	(4/4) 1-1/4	3-1/4	3-7/8	5-3/32	1-23/32	7/8	#3 CORK
A-380	(2/4) 1-1/2	BASE OF NECK	5	6-5/16	1-13/16	57-64	20-400 #3 CORK
A-408	(4/4) 1-1/2	3-63/64	4-3/4	5-17/32	1-53/64	29/32	#3 CORK
A-409	(4/4) 1-1/2	3-13/16	4-1/2	5-23/32	1-47/64	59/64	#4 CORK
A-395	(4/4) 15 DR.	BASE OF NECK	6-3/4	6-9/16	1-57/64	1-1/16	#3 CORK
A-3045	(4/4) 15-1/2 DR.	4-7/8	6	6-7/8	1-53/64	1	22-400
A-381	(2/4) 2	BASE OF NECK	5-3/4	6-31/64	1-29/32	29/32	22-400 #4 CORK
A-419	(4/4) 2	4-1/8	5-1/2	5-31/32	1-61/64	1-1/32	22-400 #4 CORK
A-410	(4/4) 2	BASE OF NECK	5-3/4	5-51/64	1-7/8	1	#3 CORK
A-2633	(1/4) 2	3-7/8	4-7/8	6	2	29/32	#4 CORK
A-2363	(1/4) 2	4-1/8	4-3/4	5-29/32	1-15/16	7/8	#4 CORK 24-400
A-1568	(1/4) 2	4-3/16	4	5-5/16	1-62/64	31/32	#3 CORK
A-396	(4/4) 2-1/4	4-5/8	7	6-5/8	1-63/64	1-3/32	22-400 #3 CORK
A-1281	(1/4) 2-1/2	4	6-1/4	6	2	1-1/8	#4 CORK 22-400
A-420	(4/4) 2-1/2	5-1/8	7-1/2	7-1/4	2-1/8	1	#4 CORK
A-398	(1/4) 3	4-1/2	6-1/4	3-13/16	2-3/64	1-7/64	#4 CORK 22-400


A-411	(4/4) 3	BASE OF NECK	7	6-35/64	2-1/8	1-5/32	#4 CORK
A-383	(2/4) 3	"	6-1/2	7-1/8	2-7/64	1-1/32	#4 CORK
A-397	(4/4) 3	4-7/16	6-5/8	6-17/32	2-1/16	1-1/8	#4 CORK
A-421	(4/4) 3	4-1/16	5-7/8	6-7/32	2-1/64	1-3/16	22-400 #3 CORK
A-384	(2/4) 4	BASE OF NECK	9	7-21/32	2-21/64	1-9/64	24-400 #4 CORK
A-413	(4/4) 4	4-13/16	7-3/4	7-1/8	2-21/64	1-9/32	#4 CORK 24-400
A-1282	(1/4) 5	4-3/4	8-1/16	6-15/16	2-29/64	1-21/64	#6 CORK 24-400
A-415	(4/4) 6	BASE OF NECK	11	7-15/16	2-19/32	1-3/8	#5 1/2 CORK 24-400
A-423	(4/4) 6	5-1/2	11-3/8	7-13/16	2-21/32	1-3/8	24-400 #5 CORK
A-416	(1/4) 8	BASE OF NECK	15	8-7/16	2-13/16	1-1/2	#6 CORK 28-400

ARGYLE PANELS
BALL NECK PANEL






A-427



A-334




A-335


HOOD AND ARCH
PANELS




MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-427 (4/4)	1-3/4	BASE OF NECK	5-1/2	6-3/32	1-63/64	31/32	20-400 #4 CORK
A-334 (3/4)	12	6-9/32	14-1/2	8-1/2	2-31/32	1-7/8	30-400 #7 CORK
A-335 (1/4)	12	6-1/4	13-3/4	8-5/8	2-61/64	1-49/64	30-400 #7 CORK




A-432



A-431



A-430



A-426

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-426 (1/4)	1-1/2	BASE OF NECK	3-1/2	4-13/16	1-13/16	15/16	#3 CORK
A-430 (1/4)	3	4-15/32	6	6-1/16	2-3/32	1-3/32	22-400 #5 CORK
A-431 (1/4)	5	5-21/64	8-1/2	7-3/32	2-11/32	1-9/32	24-400 #7 CORK
A-432 (1/4)	12	7-13/64	16	9-17/32	2-61/64	1-11/16	28-400 #8 CORK

PANELS






PANELS



MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-2503 (1/4)	1	3-11/16	3-1/2	5-1/4			18-400
A-3318 (1/4)	1	3-3/16	2-7/8	4-3/4	1-5/8	25/32	#1 CORK
A-3319 (1/4)	2	3-13/16	3-7/8	5-1/2	1-55/64	7/8	#3 CORK
A-2361 (1/4)	2	4	4-1/2	5-3/4	2	29/32	#3 CORK 20-400
A-3882 (1/4)	2-1/2	4-7/16	5-1/2	5-7/8	2	1	24-1300
A-3320 (1/4)	4	6-19/32	6-5/8	6-9/16	2-3/8	1-9/64	#4 CORK 24-400




A-2411
A-401
A-4438



A-2973



A-1443
A-1450




A-428

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-1443 (1/4)	1	2-61/64	2-1/2	4-9/64	1-1/2	51/64	#2 CORK 20-400
A-428 (4/4)	2-1/2	4-15/16	7	7-1/32	2-1/8	15/16	#4 CORK 22-400
A-1450 (4/4)	3-1/2	4-9/16	6-1/2	5-15/16	2-1/8	1-5/16	#3 CORK
A-2411 (4/4)	3-1/2	4-1/2	8-5/8	7-3/32	2-15/32	1-5/32	#5 OIL CORK
A-401 (4/4)	5	5-5/8	9-3/4	8-3/32	2-29/64	1-15/64	#5 CORK
A-4438 (3/4)	6	5-43/64	9-1/2	8-17/32	2-17/32	1-3/8	#4 CORK
A-2973 (1/4)	6-1/2	5-3/4	12-3/4	8-25/32	2-5/8	1-7/16	#4 OIL CORK 24-400

PANELS






A-1444



A-1410



A-2772



A-4207




A-1264
A-559

PANELS




PAGE PP 80


MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-559 (3/4)	1	3	2-1/2	4-31/64	1-39/64	13/16	#2 CORK
A-1264 (4/4)	1-1/8	3-11/16	4-1/4	5-15/32	1-13/16	27/32	#2 CORK
A-2407 (4/4)	1-1/4	3-11/16	4-3/8	5-13/32	1-13/16	27/32	#2 CORK
A-1410 (4/4)	1-1/2	BASE OF NECK	3-1/2	4-21/32	1-5/8	1-3/16	#2 CORK
A-2772 (3/4)	1-1/2	3-9/32	3-3/8	4-13/16	1-25/32	27/32	#2 CORK 20-400
A-1444 (1/4)	2	3-31/32	3-1/2	5-3/32	1-41/64	1	#2 CORK



A-424



A-2480



A-374



A-3317

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-3717 (4/4)	1/2	BASE OF NECK	1-5/8	3-3/4	1-5/32	21/32	#1 CORK
A-374 (2/4)	5/8	4	4	5-15/32	1-17/32	23/32	#3 CORK 24-400
A-2480 (3/4)	5	5-1/32	8	7-9/32	2-5/16	1-11/32	#5 CORK 24-150
A-424 (1/4)	8	6-5/16	14-1/2	8-7/16	2-29/32	1-7/16	#6 CORK 28-400

PANELS

