




C-75

C-74

C-766

Mold No.	Fluid Oz. Capacity Bottom Finish—Overflow	Finish	Weight in Ozs.	Height in Inches	Diam. in Inches	Dozens Per Crate	Lbs. Per Crate
C-766	120 ³ / ₈	129 <i>K-450</i> 132-400	60	9 ¹⁵ / ₁₆	6 ⁴ / ₆₄	2	113
C-74	122	128 120-400	60 ⁵ / ₈	9 ¹⁹ / ₃₂	6 ¹³ / ₃₂	2	113
C-75	124 ¹ / ₂	129 120-175	55 ³ / ₄	9 ³ / ₈	5 ¹⁵ / ₁₆	2	110

**WIDE MOUTH
PACKERS**
(STOCK)



C-25



C-27

C-28

C-26

**LIGHTNING
JARS**
(STOCK)

Mold No.	Fluid Ounce Capacity Glass Eyelet—Overflow or Neck Wire	Finish	Weight in Ozs.	Height in Inches	Diam. in Inches	Gross Per Crate	Lbs. Per Crate	
<i>Discontinued as mfg m.</i> C-25	8	8½	Lightning Glass Top	9	4 ¹³ / ₁₆	2 ⁹ / ₁₆	1	110
C-26	12 ⁷ / ₁₆	16	"	13½	4 ²⁷ / ₃₂	3 ¹¹ / ₃₂	1 Dozen Carton	13
C-27	30 ³ / ₈	33 ³ / ₄	"	21 ³ / ₄	7 ³ / ₈	3 ²⁹ / ₃₂	1 Dozen Carton	20
C-28	61½	65½	"	32½	9 ¹⁷ / ₃₂	4 ⁴⁷ / ₆₄	1/3	131



C-53
C-48

Mold No.	Fluid Oz. Capacity Bottom Finish—Overflow		Finish	Weight in Ozs.	Height in Inches	Diam. in Inches	Dozens Per Carton	Lbs. Per Carton
C-48	7	7 $\frac{5}{8}$	53-400	8 $\frac{7}{8}$	4 $\frac{1}{4}$	2 $\frac{11}{16}$	2	15
C-53	12	14	G-450	11 $\frac{1}{2}$	5	3 $\frac{1}{16}$	2	21
C-57	14	16	G-450	11 $\frac{1}{2}$	5 $\frac{5}{32}$	3 $\frac{5}{16}$	2	21
C-68	30	32	G-450	19 $\frac{1}{2}$	7 $\frac{3}{8}$	3 $\frac{7}{8}$	1	17
C-394	30 $\frac{7}{8}$	32 $\frac{3}{4}$	G-450	20	7 $\frac{21}{32}$	3 $\frac{15}{16}$	1	18

**BARREL
JARS
(STOCK)**



C-32



C-35




C-44




C-42

MUSTARDS
(STOCK)

Mold No.	Fluid Oz. Capacity Bottom Finish—Overflow	Finish	Weight in Ozs.	Height in Inches	Diam. in Inches	Gross Per Crate	Lbs. Per Crate
C-32	4 4	4 $\frac{1}{2}$ 4 $\frac{7}{16}$	48-400 48-100	5 $\frac{3}{4}$	4 $\frac{3}{8}$	2 $\frac{1}{16}$	2 133
C-42	4 $\frac{3}{16}$	5	63-400	4 $\frac{5}{8}$ ^{6$\frac{5}{8}$}	3 $\frac{1}{2}$	2 $\frac{1}{2}$	2 144
C-44	5 $\frac{13}{16}$	6 $\frac{3}{8}$	48-400	7	5 $\frac{15}{64}$	2 $\frac{7}{32}$	1 $\frac{1}{2}$ 119
C-35	8 $\frac{1}{16}$	8 $\frac{11}{16}$	53-400	8 $\frac{1}{4}$	4 $\frac{5}{64}$	3 $\frac{3}{32}$	2 Dozen Carton 15 $\frac{1}{2}$



C-23




C-15



C-20



C-323



C-18

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Finish	Weight in Ozs.	Height in Inches	Width in Inches	Thick. in Inches	Gross Per Crate	Lbs. Per Crate
C-15	$5\frac{7}{16}$ $5\frac{7}{16}$	$5\frac{3}{4}$ $5\frac{13}{16}$	<i>Discontinued</i> 43-150 43-400	<i>7</i>	$6\frac{21}{64}$	$2\frac{5}{32}$	$1\frac{11}{16}$	1	84
C-323	6	$6\frac{3}{8}$	43-400	$8\frac{3}{8}$	$5\frac{3}{8}$	$2\frac{27}{64}$	$1\frac{29}{32}$	1	$85\frac{1}{2}$
C-23	$6\frac{1}{8}$ $6\frac{1}{8}$	$6\frac{5}{8}$ $6\frac{9}{16}$	48-400 48-100	9	$6\frac{15}{64}$	$2\frac{21}{64}$	$1\frac{49}{64}$	1	93
C-20	$6\frac{3}{8}$ $6\frac{3}{8}$	$6\frac{3}{4}$ $6\frac{11}{16}$	43-400 43-150	$9\frac{1}{4}$	$6\frac{1}{4}$	$2\frac{1}{4}$	$1\frac{11}{16}$	1	93
C-18	$6\frac{9}{16}$	$7\frac{1}{16}$	48-400	$8\frac{1}{2}$	$6\frac{1}{2}$	$2\frac{3}{8}$	$1\frac{49}{64}$	1	100

*Discontinued
Co. M.D.M.*

**HORSE
RADISH
PICKLES
(STOCK)**



The "Presto" line of mason and wide mouth fruit jars is a source of satisfaction to both the Owens-Illinois Glass Company and the user. They possess every requisite from the angle of practicability and convenience. They are blown from clear, flint glass in four distinct styles and a wide range of sizes.

Presto jars are fitted with either porcelain lined caps or glass tops for standard or wide mouth openings. Caps and bands are most attractive in design, perfect in performance and composed of non-corroding aluminum. A fine quality rubber ring accompanies each jar.

Presto jars have won for themselves the coveted approval of the Good Housekeeping Institute and are recognized universally as *de luxe* containers for home packed fruits and vegetables.



Presto jars are packed one dozen to a durable corrugated paper carton in which is also enclosed the required number of identified rubber rings.

Exclusive selling rights have been vested in the

CUPPLES COMPANY
 401 So. 7th St.,
 St. Louis, Mo.






PRESERVES

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-282	3½	4⅛	5½	47/32	29/32	58-2000	2	9
C-753	8¾	813/16	8¼	61/16	211/32	53-1500	2	15
C-584	87/16	9	9⅞	63/32	211/32	58-1550	2	16
C-485	815/16	9½	97/8	61/64	2½	58-1500	2	16
C-209	815/16	9¾	9	67/32	215/32	58-100	2	16
C-585	95/16	97/8	9	63/16	27/16	58-1500	2	16
C-749	105/16	107/8	10	651/64	215/32	58-1500	2	17
C-767	111/16	115/8	117/8	629/32	29/16	58-1500	2	19

(Continued on following page.)



C-197
C-839

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-398	11 $\frac{1}{8}$	11 $\frac{3}{4}$	11 $\frac{1}{4}$	6 $\frac{5}{16}$	2 $\frac{5}{8}$	58-2000	2	20
C-841	11 $\frac{1}{8}$	11 $\frac{7}{8}$	10 $\frac{7}{16}$	7	2 $\frac{9}{16}$	63-1400	2	18 $\frac{1}{2}$
C-586	11 $\frac{1}{4}$	11 $\frac{3}{4}$	11 $\frac{1}{4}$	6 $\frac{3}{4}$	2 $\frac{19}{32}$	63-1500	2	19
C-487	11 $\frac{7}{16}$	12	11 $\frac{3}{16}$	6 $\frac{29}{32}$	2 $\frac{17}{32}$	58-1500	2	20
C-248	11 $\frac{1}{2}$	11 $\frac{7}{8}$	10 $\frac{3}{4}$	7 $\frac{3}{64}$	2 $\frac{9}{16}$	63-1400	2	19
C-817	11 $\frac{3}{4}$	12 $\frac{5}{16}$	11 $\frac{1}{4}$	7 $\frac{1}{16}$	2 $\frac{9}{16}$	58-1500	2	19
C-614	11 $\frac{15}{16}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	7	2 $\frac{11}{16}$	58-1500	2	22
C-197	12	12 $\frac{5}{8}$	10 $\frac{1}{2}$	6 $\frac{3}{32}$	2 $\frac{1}{2}$	63-1500	2	20
C-454	12 $\frac{1}{4}$	12 $\frac{3}{4}$	13 $\frac{1}{2}$	7 $\frac{1}{64}$	2 $\frac{11}{16}$	63-1550	2	24
C-410	22 $\frac{11}{16}$	23 $\frac{3}{4}$	18	8 $\frac{11}{16}$	3 $\frac{3}{16}$	75-1500	1	18
C-839	23 $\frac{7}{8}$	24 $\frac{3}{4}$	17 $\frac{3}{4}$	7 $\frac{3}{4}$	3	68-1500	1	16 $\frac{1}{4}$
C-747	30 $\frac{1}{2}$	32 $\frac{1}{2}$	20 $\frac{1}{4}$	8 $\frac{13}{16}$	3 $\frac{11}{16}$	G-450	1	17
C-605	46 $\frac{3}{4}$	49 $\frac{1}{4}$	31	8 $\frac{11}{16}$	4 $\frac{13}{32}$	"T"-450	$\frac{1}{2}$	13

PRESERVES



C-778
C-322



PRESERVES


Mold No.	Fluid Oz. Bottom	Oz. Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-272	3 ⁷ / ₈	4 ⁷ / ₁₆	5 ¹ / ₄	4 ¹³ / ₃₂	2 ¹ / ₈	D-1300	3	22
C-322	11	11 ⁵ / ₈	11 ⁵ / ₈	6 ²⁹ / ₃₂	2 ¹⁵ / ₃₂	58-1525	2	22
C-778	11 ⁷ / ₁₆	12	10 ³ / ₄	6 ²⁹ / ₃₂	2 ²⁷ / ₆₄	58-1500	2	23
C-259	11 ⁵ / ₈	12 ¹ / ₂	11	6 ³¹ / ₃₂	2 ³⁷ / ₆₄	63-2000	2	22
C-704	12	12 ⁹ / ₁₆	10 ¹ / ₂	6 ¹ / ₆₄	2 ¹⁹ / ₃₂	58-1500	2	23



C-200

PRESERVES


Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-223	8½	9¼	10	5 ⁵ / ₁₆	2 ⁹ / ₁₆	63-1500	2	17
C-200	8 ⁵ / ₈	9½	9	6 ³ / ₈	2 ²³ / ₆₄	58-2000	2	16
C-566	11 ³ / ₁₆	11 ¹¹ / ₁₆	13¼	6 ²⁹ / ₃₂	2 ¹⁹ / ₃₂	63-1500	2	22
C-334	11 ³ / ₁₆	11 ⁷ / ₈	12	7 ⁷ / ₁₆	2 ¹⁷ / ₃₂	66-1500	2	21



VASE PRESERVES


Mold No.	Fluid Oz.	Capacity Bottom Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-102	5½	6	67/16	427/32	23/16	53-1550	2	13
C-393	55/8	6½	6¼	431/64	213/32	C-450	2	12
C-386	7¼	7½	8¼	529/32	29/32	48-1550	2	15
C-83	77/8	8½	9	47/8	211/16	63-1400	2	16
C-103	9	95/8	915/16	65/16	27/16	58-1550	2	19
C-95	91/16	9¾	93/8	6¼	215/32	58-1500	2	17
C-387	10¾	11½	11½	629/32	29/16	58-1550	2	21

(Continued on following page.)



Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-475	11 $\frac{1}{4}$	12	11 $\frac{1}{4}$	6 $\frac{11}{32}$	2 $\frac{5}{8}$	63-1550	2	21
C-395	11 $\frac{5}{16}$	11 $\frac{7}{8}$	11 $\frac{1}{4}$	7	2 $\frac{41}{64}$	63-1400	2	21
C-100	12	12 $\frac{5}{8}$	11	7 $\frac{1}{64}$	2 $\frac{19}{32}$	58-1550	2	21
C-629	12	12 $\frac{5}{8}$	9 $\frac{1}{2}$	6 $\frac{7}{8}$	2 $\frac{5}{32}$	58-1550	2	19
C-98	16	16 $\frac{7}{8}$	13	7 $\frac{1}{4}$	2 $\frac{7}{8}$	66-1550	2	26
C-755	22 $\frac{11}{16}$	23 $\frac{3}{4}$	18 $\frac{1}{2}$	8 $\frac{5}{8}$	3 $\frac{3}{16}$	75-1400	1	17
C-97	24	24 $\frac{15}{16}$	17	8 $\frac{13}{32}$	3 $\frac{7}{32}$	70-1550	1	16
C-99	32	32 $\frac{15}{16}$	19 $\frac{1}{2}$	9 $\frac{3}{8}$	3 $\frac{1}{2}$	70-1550	1	18

VASE PRESERVES



C-368





C-94

C-78

C-713
C 261

PRESERVES
JAMS

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-368	7½	8⅝	10¼	5⅛	2⅞	70-2000	2	19
C-713	10	12	12⅛	6⅜	2⅞	G-450	2	21
C-261	10½	11⅜	12	6⅞	2⅞	66-1500	2	22
C-78	11½	12⅝	10¼	5⅛	2⅞	63-1400	2	19
C-94	23⅝	24	18	6⅞	3⅞	63-1400	1	16




Mold No.	Fluid Oz. Capacity Bottom Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-108	3	37/16	4 ⁵ / ₃₂	1 ⁷ / ₈	48 -1550	2	9
C-813	8 ⁷ / ₈	9 ¹ / ₂	9 ¹ / ₄	5 ³⁷ / ₆₄	63-1500	2	17
C-79	10	11	10 ¹ / ₂	4 ⁷ / ₈	63-1400	2	19
C-814	11 ⁹ / ₁₆	12 ³ / ₈	9 ¹ / ₄	5 ¹ / ₂	63-1500	2	17
C-533	13 ¹ / ₂	14 ⁵ / ₁₆	11 ¹ / ₄	6 ⁵ / ₁₆	63-1500	2	23

**PRÉSERVES
JAMS**




**PRESERVES
PACKER JARS**


Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-574	16	16 ⁷ / ₈	11 ¹ / ₂	6 ⁷ / ₈	2 ⁴⁹ / ₆₄	58-1700	1	10
C-667	21 ³ / ₄	23 ¹ / ₄	19	7 ⁷ / ₁₆	3 ¹ / ₈	70-100	1	17 ¹ / ₂
C-802	22 ¹ / ₈	24 ¹ / ₈	14 ⁵ / ₈	7 ¹ / ₂	3 ¹¹ / ₆₄	G-450	1	15




C-664



C-728



C-581



C-746

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-746	13¼	14½	12¾	6¼	2¾	E-450	2	21
C-664	13½	15	11	5 ⁷ / ₁₆	2 ¹⁵ / ₁₆	70-400	2	19
C-728	15½	17½	12	6 ⁷ / ₁₆	2 ⁷ / ₈	G-450 F-450	1	11
C-581	35½	37½	22	7 ⁷ / ₃₂	4 ⁷ / ₁₆	G-450	1	17

**PRÉSERVES
PACKER JARS**



PACKER JARS

Mold No.	Fluid Oz. Capacity		Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
	Bottom	Fin.—Overflow						
C-269	6 $\frac{1}{2}$	8 $\frac{1}{2}$	8 $\frac{1}{2}$	3 $\frac{1}{4}$	3 $\frac{1}{64}$	G-450	2	16
C-775	7 $\frac{7}{16}$	8 $\frac{1}{8}$	7 $\frac{5}{8}$	4 $\frac{1}{4}$	2 $\frac{33}{64}$	60-400	2	14
C-242	13 $\frac{3}{4}$	15 $\frac{3}{4}$	11	5 $\frac{13}{32}$	2 $\frac{61}{64}$	G-450	2	20
C-711	14	16	12	5 $\frac{7}{16}$	3 $\frac{3}{32}$	G-450	2	21
C-214	14 $\frac{1}{8}$	16 $\frac{1}{8}$	12	5 $\frac{1}{2}$	3 $\frac{3}{64}$	G-450	2	22
C-571	15 $\frac{3}{4}$	17 $\frac{3}{4}$	12 $\frac{9}{16}$	5 $\frac{3}{4}$	3 $\frac{1}{8}$	G-450	1	11
C-340	20 $\frac{13}{16}$	22 $\frac{5}{8}$	13 $\frac{3}{4}$	6 $\frac{57}{64}$	3 $\frac{13}{64}$	G-450	1	11


(Continued on following page)



PACKER JARS

Mold No.	Fluid Oz. Capacity		Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
	Bottom	Fin.—Overflow						
C-937	11	13	11 ³ / ₄	4 ²⁵ / ₃₂	2 ³¹ / ₃₂	G-450	2	20 ² / ₃
C-989	14 ¹ / ₂	16 ¹ / ₂	12 ¹ / ₈	5 ¹ / ₂	3 ⁷ / ₆₄	G-450	1	12
C-341	25	27	16	7 ¹¹ / ₃₂	3 ³ / ₈	G-450	1	14
C-59	26 ¹ / ₂	28 ¹ / ₂	16 ¹ / ₂	7 ¹³ / ₃₂	3 ³ / ₈	G-450	1	15
C-371	28 ¹ / ₄	30 ¹ / ₄	17 ³ / ₄	7 ²¹ / ₃₂	3 ¹⁵ / ₃₂	G-450	1	18
C-816	30 ¹ / ₂	33	19 ¹ / ₂	7 ²⁷ / ₆₄	3 ⁴⁷ / ₆₄	G-450	1	18
C-563	30 ¹ / ₂	32 ¹ / ₂	17	7 ²⁹ / ₆₄	3 ¹¹ / ₃₂	G-450	1	16

Entire line can be furnished in other standard finishes. See "S" section devoted to GCA Standards.




C-695



PACKER JARS


Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-50	8	8 ⁷ / ₈	8	5 ¹ / ₄	2 ⁵ / ₁₆	C-450	2	15
C-695	11 ¹⁵ / ₁₆	12 ¹ / ₂	12 ³ / ₈	6 ³ / ₄	2 ⁵ / ₈	58-1500	2	21
C-866	12 ¹ / ₄	14 ¹ / ₄	10	5 ¹¹ / ₁₆	2 ¹¹ / ₁₆	G-450	2	18
C-729	14 ³ / ₈	15 ⁵ / ₈	11	6 ³ / ₈	2 ²³ / ₃₂	E-450	2	19
C-1073	15 ¹ / ₂	17 ¹ / ₄	13 ³ / ₈	5 ³ / ₄	2 ⁶¹ / ₆₄	70-1550	1	13
C-583	25 ⁷ / ₈	27 ¹ / ₂	16 ³ / ₄	7 ⁷ / ₁₆	3 ⁵ / ₁₆	F-450	1	15
C-577	30 ¹ / ₂	32 ¹ / ₂	19	8 ¹ / ₂	3 ⁵ / ₁₆	G-450	1	18
C-446	31	33	22	7 ²⁹ / ₃₂	3 ³ / ₁₆	G-450	1	19
C-980	31	33	23 ³ / ₄	8 ¹ / ₃₂	3 ⁵⁵ / ₆₄	G-450	1	21
C-415	32 ¹ / ₁₆	34 ³ / ₄	20	7 ¹⁵ / ₁₆	3 ¹⁷ / ₃₂	H-450	1	18



C-365

PACKER JARS.

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-43	6 $\frac{1}{8}$	6 $\frac{7}{8}$	6 $\frac{1}{2}$	4 $\frac{21}{64}$	2 $\frac{17}{64}$	58-400	1 $\frac{1}{2}$	108
C-273	8	8 $\frac{5}{8}$	8	5 $\frac{11}{32}$	2 $\frac{9}{32}$	53-400	1 $\frac{1}{2}$	134
C-698	8 $\frac{1}{4}$	9 $\frac{1}{2}$	8	4 $\frac{29}{32}$	2 $\frac{31}{64}$	63-100	1 $\frac{1}{2}$	134
C-359	10 $\frac{1}{8}$	11 $\frac{1}{4}$	10 $\frac{1}{2}$	6 $\frac{15}{32}$	2 $\frac{13}{32}$	D-450	1	120
C-365	11	11 $\frac{7}{8}$	11	6 $\frac{25}{64}$	2 $\frac{1}{2}$	58-400	1	124
C-658	11 $\frac{3}{4}$	12 $\frac{3}{4}$	10	8 $\frac{3}{16}$	2 $\frac{17}{32}$	63-100	1	115
C-938	13 $\frac{7}{8}$	15 $\frac{7}{8}$	11 $\frac{3}{4}$	5 $\frac{1}{2}$	3 $\frac{1}{32}$	G-450	1	11
C-1049	14	15 $\frac{7}{8}$	11 $\frac{1}{2}$	5 $\frac{17}{32}$	3 $\frac{1}{16}$	G-450	1	11
C-939	25 $\frac{3}{4}$	27 $\frac{3}{4}$	18 $\frac{1}{2}$	7 $\frac{27}{64}$	3 $\frac{11}{32}$	G-450	1	17





C-612



PACKER JARS

Mold No.	Fluid Oz. Bottom	Capacity Fin.—Overflow	Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
C-297	4 ³ / ₁₆	4 ⁵ / ₈	5 ¹ / ₄	4 ¹⁷ / ₆₄	1 ¹⁵ / ₁₆	48-400	3	14
C-343	6 ³ / ₁₆	6 ¹⁵ / ₁₆	7 ¹ / ₄	4 ²³ / ₃₂	2 ¹⁹ / ₆₄	58-400	2	13
C-286	6 ⁵ / ₈	7 ³ / ₈	8	3 ⁵⁹ / ₆₄	2 ¹⁹ / ₃₂	58-2000	2	15
C-339	10 ⁷ / ₈	10 ⁷ / ₈	8 ⁵ / ₈	6 ¹ / ₆₄	2 ³⁵ / ₆₄	58-400	2	15
C-705	10 ³ / ₈	11 ¹ / ₂	10	5 ³¹ / ₃₂	2 ¹ / ₂	D-450	2	18
C-1081	11 ¹ / ₂	12	10 ¹ / ₄	4 ⁵¹ / ₆₄	2 ³¹ / ₃₂	63-1525	2	20
C-283	11 ⁵ / ₈	12 ⁵ / ₈	9	4 ⁷ / ₁₆	3	70-2000	2	16
C-336	13	14 ¹ / ₂	12 ¹ / ₂	6 ¹⁹ / ₃₂	2 ¹¹ / ₁₆	F-450	2	22
C-706	13 ³ / ₈	15	13	6 ¹⁹ / ₃₂	2 ¹¹ / ₁₆	F-450	2	22 ¹ / ₂
C-285	14 ¹ / ₄	15 ³ / ₄	11	4 ⁹ / ₁₆	3 ¹⁹ / ₆₄	75-2000	1	11
C-426	14 ¹¹ / ₁₆	15 ⁷ / ₈	12	5 ⁵ / ₃₂	3 ⁵ / ₃₂	70-400	2	21
C-978	14 ¹³ / ₁₆	15 ¹⁵ / ₁₆	11	4 ²⁹ / ₃₂	3 ³ / ₁₆	70-1550	1	10
C-559	14 ⁷ / ₈	16	13 ¹ / ₈	6 ¹³ / ₁₆	2 ⁵¹ / ₆₄	D-450	1	12 ¹ / ₂
C-1087	15 ³ / ₄	17	11 ¹ / ₄	4 ²⁹ / ₃₂	3 ⁹ / ₃₂	70-1400	2	20
C-643	16	17 ¹ / ₄	11 ¹ / ₄	5 ²⁷ / ₃₂	2 ⁶³ / ₆₄	Sp. Slip Cap	2	20

(Continued on following page.)



C-449

PACKER JARS

Mold No.	Fluid Oz. Capacity		Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
	Bottom	Fin.—Overflow						
C-612	15¼	15 ¹³ / ₁₆	13 ⁵ / ₈	6 ²⁵ / ₃₂	2 ³ / ₄	58-1550	1	11½
C-648	15½	17½	13	6 ⁴¹ / ₆₄	2 ⁵³ / ₆₄	G-450	1	12
C-232	15¾	17¾	12½	4¹¹/₁₆	3²³/₆₄	83-1500	2	22
C-338	15¾	17¼	12½	6 ⁴³ / ₆₄	2 ²⁷ / ₃₂	F-450	1	12
C-449	16	17	11¾	6 ¹¹ / ₁₆	2 ²⁵ / ₃₂	63-1700	1	11½
C-661	16	17½	14½	6 ⁷ / ₈	3	70-400	1	14
C-345	16¾	17¼	12¾	6 ¹¹ / ₃₂	3 ¹ / ₆₄	63-100	1	11
C-769	26	28	16	7	3 ³ / ₈	83-400	1	15
C-570	31¾	33¾	19	9 ¹ / ₁₆	3 ³ / ₈	G-450	1	17
C-349	32	33¼	18¼	8	3 ²¹ / ₃₂	70-1800	1	15
C-788	61¼	64¼	31½	7 ⁷ / ₈	5 ¹ / ₈	J-450	½	15½